

FEELING “HANGRY”: WHEN HUNGER IS CONCEPTUALIZED AS EMOTION

Jennifer Kay MacCormack

A thesis submitted to the faculty at the University of North Carolina at Chapel Hill in partial fulfillment of the requirements for the degree of Master of Arts in the Department of Psychology and Neuroscience (Social Psychology) in the College of Arts and Sciences.

Chapel Hill
2016

Approved by:

Kristen A. Lindquist

Keely A. Muscatell

B. Keith Payne

Paschal Sheeran

© 2016
Jennifer Kay MacCormack
ALL RIGHTS RESERVED

ABSTRACT

Jennifer Kay MacCormack: Feeling “Hangry”: When Hunger is Conceptualized as Emotion
(Under the direction of Kristen A. Lindquist)

Many of us have felt “hangry” before, but little research has explored its psychological mechanisms. We hypothesized that feeling “hangry” occurs when participants ($N=653$) associate bodily feelings with the context, interpreting hunger as high arousal, negative emotions. Studies 1 and 2 used an Affect Misattribution Procedure (Payne et al., 2005) to demonstrate that hungry participants are more likely to experience ambiguous stimuli as negative when seen in a negative context. In Study 3, we demonstrated that this effect occurs when participants are not explicitly focused on emotions. We manipulated hunger vs. satiation and participants’ accessibility to emotion concepts (anger vs. sadness vs. no emotion) prior to placing them in a frustrating situation. As predicted, hungry participants who did not have access to emotion concepts reported greater negative, high arousal emotions and more negative interpersonal perceptions. Implications for emotion theory are discussed.

ACKNOWLEDGEMENTS

Thank you to my advisor, Dr. Kristen Lindquist. Under your mentorship, I've learned that good science requires not only rigor but also precise communication, integrative thinking, and tenacity.

Thank you to my colleagues and research assistants: my success is yours. Finally, deepest gratitude to my friends Jason Kirkey, Holly Shablack, and Neil Hester for your conversations and support—and to my partner Teague Henry and our families, who inspire me to be the best person and scientist I can be. *Perseverantia succedit.*

TABLE OF CONTENTS

LIST OF TABLES	vi
LIST OF FIGURES	vii
CHAPTER 1: THE NATURE OF FEELING HANGRY	1
What is Hunger? Definitions and Neurobiology	3
Hunger, Emotion, and Behavior	6
Mechanisms of the Hunger-Emotion Link.....	9
The Regulatory Depletion Hypothesis	9
A Psychological Constructionist Hypothesis.....	11
The Present Studies	15
CHAPTER 2: HUNGER SHIFTS AFFECTIVE PERCEPTIONS IN CONTEXT	16
Study 1 Method	16
Participants	16
Procedure	17
Materials	17
Analyses	18
Study 1 Results	19
Study 1 Discussion	20
CHAPTER 3: HUNGER SHIFTS AFFECTIVE PERCEPTIONS IN A NEGATIVE CONTEXT	22
Study 2 Method	22
Participants	22
Procedure	23
Materials	23
Analyses	23

Study 2 Results	24
Study 2 Discussion	26
CHAPTER 4: FEELING HANGRY AS A SITUATED CONCEPTUALIZATION.....	27
Study 3 Method	27
Participants.....	27
Procedure	28
Analyses	31
Study 3 Results	32
Study 3 Discussion	36
CHAPTER 5: THE AFFECTIVE POWER OF HUNGER	38
Broader Implications.....	40
Strengths and Limitations	45
Conclusion.....	47
APPENDIX 1: Tables	49
APPENDIX 2: Figures	56
REFERENCES	64

LIST OF TABLES

Table 1 – Studies 1 and 2 descriptive comparisons	49
Table 2 – Study 1 models for <i>hunger x context</i> effects	50
Table 3 – Study 1 models for <i>thirst x context</i> and <i>sleep x context</i> effects.....	51
Table 4 – Study 2 models for <i>hunger x context</i> effects	52
Table 5 – Study 2 models for <i>thirst x context</i> and <i>sleep x context</i> effects.....	53
Table 6 – Study 1 and 2 simple slopes tests for Model 2 with neutral as reference	54
Table 7 – Study 3 means with 95% confidence intervals	55

LIST OF FIGURES

Figure 1 – Conceptual model of a psychological constructionist theory of emotion	56
Figure 2 – Study 1 <i>hunger x context</i> interaction	57
Figure 3 – Study 2 <i>hunger x context</i> interactions	58
Figure 4 – Study 3 mean differences for time spent on the self-regulation task	59
Figure 5 – Study 3 mean differences for negative, high arousal emotions	60
Figure 6 – Study 3 mean differences for hate	61
Figure 8 – Study 3 mean differences for stress	62
Figure 12 – Study 3 mean differences for experimenter as judgmental	63

CHAPTER ONE: THE NATURE OF FEELING HANGRY

“A hungry man is an angry one.” – Buchi Emecheta, 1994, p. 135

In 2015, the Oxford Dictionary added the word “hangry” to its entries, defined as “bad tempered or irritable as a result of hunger” (Hangry, 2015). The scientific literature agrees that “hanger” is real. Recent research shows that judges’ legal rulings are more severe prior to lunch than after (Danzinger, Levav, & Avnaim-Pesso, 2011), that low blood sugar induced by hunger can drive aggression towards one’s spouse (e.g., Bushman et al., 2014), and that hunger predicts impulsivity (Anderberg et al., 2015). Despite these preliminary findings, little work has tested the mechanisms underlying hunger’s impact on emotional experience, and more broadly, affect-based judgments and interpersonal behaviors.

One common assumption, both in folk and experimental psychology, is that hunger impairs self-regulation, thereby releasing the constraints that normally keep people from feeling unbridled emotions, making impulsive or harsh judgments, and aggressing against others (e.g., Bushman et al., 2014; DeWall, Deckman, Gailliot, & Bushman, 2011; DeWall, Pond, & Bushman, 2010). Much research in social and health psychology is guided by the “regulation as muscle” analogy, where self-control can fail after too much exertion or depleted biological resources (Baumeister, 2003, 2014; Muraven & Baumeister, 2000; Vohs et al., 2014). Although self-regulation may be one route by which hunger impacts emotions, the psychological literature points to other yet unexplored mechanisms.

One such mechanism may be the psychological construction of emotion. A psychological constructionist view proposes that hunger influences emotions and other affect-based perceptions and behaviors because hunger induces affective changes that can become conceptualized as specific emotions. A psychological constructionist view of the mind (Barrett, in press; Clore & Ortony, 2013; Cunningham et al. 2013; Hackel et al., in press; Lindquist, 2013; Russell, 2003) suggests that

all mental states are constructed from more basic psychological components such as body-based affective representations, knowledge from prior experience and culture, and executive functions. Importantly, more recent constructionist views hypothesize that thoughts, feelings, and bodily sensations are ultimately rooted in the brain's situated inferences and predictions about what an organism needs to maintain homeostasis in any given context (Barrett & Simmons, 2015; Chanes & Barrett, 2016). Thus, emotions are created when more basic pleasant-unpleasant and activated-deactivated affective representations from the body are made meaningful as instances of specific emotions (e.g., anger), depending on the context. This occurs when people use conceptual knowledge about emotion categories to parse affective representations into categorical experiences.

Key to this psychological constructionist view, affective representations from the body may arise from any number of causes, such as activation of the peripheral nervous system due to proximal environmental challenges (e.g., giving a public speech), but also due to less proximal causes such as hormone shifts, inflammation, or even hunger (see discussion in MacCormack & Lindquist, in press). For instance, assessment of the neurochemistry and neuroanatomy underlying hunger suggests that hunger induces unpleasant, highly arousing affective bodily changes. These bodily changes may, in the moment, push individuals to conceptualize their affective state in a manner that would be less likely when the person is satiated. However, according to a psychological constructionist view, awareness of conceptualizing hunger as a specific emotion might also allow a person to regulate their emotions and behavior—a proposal that opposes traditional views of hunger as an overriding instinct that depletes regulatory resources.

In the present paper, I report three studies supporting a psychological constructionist account in which feeling “hangry” occurs when hunger is conceptualized in context as emotion (for example, but not limited to “anger”). I assess “hanger” as changes in the intensity of individuals’ self-reported emotional experiences and interpersonal judgments. Study 1 demonstrates that hunger increases the extent to which individuals experience an ambiguous stimulus as negative in a negative context. Study 2 replicates Study 1 and demonstrates the specificity of this effect, demonstrating that findings do not extend to positive, high arousal contexts. Finally, Study 3 extends these findings by manipulating hunger in a laboratory setting to demonstrate that people conceptualize hunger as

feelings of negative, high arousal emotions—but only when they are not aware of doing so. Study 3 furthermore provides preliminary evidence that when people are unaware of their conceptualizations, feeling hungry influences interpersonal perception. I conclude by discussing how these findings are consistent with not only psychological constructionist approaches to emotion, but also theories of affect misattribution and excitation transfer (Schachter & Singer, 1962; Schwarz & Clore, 1983; Zillman, 1971) and situated models of cognition (Barsalou, 2009; Loersch & Payne, 2011, 2014; Mesquita, Barrett, & Smith, 2010).

What is Hunger? Definitions and Neurobiology

In the psychological and neuroscience literature, “hunger” is variably defined as feeding behavior (i.e., the amount of food intake; e.g., de Castro & Elmore, 1988), as appetite or a perceived need for food (e.g., Friedman, Ulrich, & Mattes, 1999), as a physiological or neurobiological process (typically rooted in animal models; e.g., Anderberg et al., 2015; Dagher, 2009), or as a system of neural representations in the brain (e.g., Tataranni & Del Parigi, 2003). Despite differences in operationalization, hunger is at core defined as a complex biochemical interactions indicating when glucose levels dip in the body as well as the perceptual representation of the desire or need for food (Smith & Ferguson, 2008). In the present paper, I rely on this definition because it is consistent with the psychological constructionist view that mental states are derived from the situated perception of biochemical processes (Barrett, 2015; Barsalou, 2009; Lindquist, 2013; Wilson-Mendenhall, Barrett, Simmons, & Barsalou, 2011).

The biochemical changes that promote hunger are well-documented. Hunger’s major function is to maintain glucose levels for the purpose of allostasis. *Allostasis* is the active process by which the body sustains and re-establishes homeostasis, thus promoting an organism’s adaptation to the present situation. In contrast, *homeostasis* refers to the specific physiological processes that maintain life, such as body pH, hormone production, digestion, respiration, etc. (McEwen & Wingfield, 2007, 2010).

Glucose must be maintained because it is the primary fuel for vertebrate cells. Much of digested food is broken down into glucose, which is then released into the bloodstream to provide energy throughout the body for most cellular functions. The pancreatic hormone *insulin* allows

glucose to enter cells throughout the body and brain. When insulin levels drop, glucose slows down its entrance into cells, resulting in greater hunger (Pardal & Lopez-Barneo, 2002). The peptide hormone *ghrelin* is also secreted in the gastrointestinal tract when glucose levels fall; ghrelin triggers gastric wall contractions or “hunger pangs,” which are conveyed via the peripheral nervous system and represented by the brain as the sensation of a distended, empty, and sometimes growling stomach (Cummings et al., 2001; Date et al., 2000; Gnanapavan et al., 2002; Kim et al., 2003; Kojima et al., 1999; Toshinai et al., 2001; Tschop et al., 2001).

In addition to ghrelin, the body releases a variety of other hormones in the glucose-depleted state. For example, cortisol which has often been called a “stress hormone,” is a glucocorticoid that is released when blood glucose is low, promoting the synthesis of new glucose (Baynes & Dominiczak, 2009). Besides cortisol, hormones such as catecholamines, glucagon, growth hormones, and other glucocorticoids are released to help raise blood glucose concentration. These hormones are associated with a variety of unpleasant somatic sensations such as shakiness, sweating, dizziness, heart palpitations, weakness, as well as nausea, confusion, and even visual hallucinations in extreme circumstances (Cryer, 1999; Marks & Rose, 1981). These subjective experiences of hunger are the product of autonomic and visceromotor activation driven by the hormonal cascades described above (Christensen, Alberti & Brandsborg, 1975; Corrall, Frier, Davidson, Hopkins & French, 1983; Heller, Herbert, Macdonald & Tattersall, 1987).

Subjective experiences of hunger are likely unpleasant and high arousal in nature because they motivate an organism to seek out food and to be less risk-averse in the face of potential starvation. For example, fasting wood frog tadpoles (*Lithobates sylvaticus*) are more active and less risk-averse when they hear alarm calls from other frogs than satiated wood frog tadpoles are (Carlson, Newman, & Langkilde, 2015). Similarly, when compared to satiated fish, food-deprived fish will forage for food further from home, even when in predator-laden waters (Damsgird & Dill, 1998; Godin & Crossman, 1994). Furthermore, schooling fish exhibit reduced group cohesion when hungry but maintain group cohesion when satiated, providing initial evidence that hunger impacts social behaviors in other species besides humans (Sogard & Olla, 1997).

Early animal research provided the first evidence towards an understanding of how hunger is

represented in the brain. Based on research in rats, it was assumed that the neural representation of hunger was almost exclusively associated with function of the lateral and ventromedial hypothalamus, both which were associated with feeding and food avoidance behaviors. They were hence seen as the “seat of hunger” and the “seat of satiety” respectively (Anand & Brobeck, 1951; Hetherington & Ransom, 1940; Hoebel & Teitelbaum, 1962; Miller, 1957; Myers & McCaleb, 1980; Stellar, 1954).

Subsequent research confirmed that the hypothalamus is central to hunger and satiation; it is one of the few regions in the brain containing receptors for hunger-relevant peptides such as leptin, insulin, ghrelin, and cholecystokinin (Plata-Salaman, 1991; Woods et al., 1998; Schwartz et al., 2000; Leibowitz & Wortley, 2004). However, several other regions besides the hypothalamus are now understood to help represent hunger vs. satiation in the human brain—such as the thalamus, insula, anterior cingulate, and orbitofrontal cortices (Del Parigi et al., 2002; Porubska et al., 2006; Tataranni et al., 1999; Tataranni & Del Parigi, 2003; Vandenbergh et al., 2005; for discussions, see Gautier et al., 2000; Gautier et al., 2001; Killgore & Yurgelun-Todd, 2005, 2006). Critically, many of these structures also help represent bodily arousal and pleasant-unpleasant affective states more generally (Lindquist et al., 2016).

For instance, meta-analyses demonstrate that the hypothalamus, thalamus, insula, anterior cingulate cortex, and orbitofrontal cortex show consistent increases in activation when individuals are experiencing unpleasant and pleasant affect as well as specific discrete emotions in contexts unrelated to hunger (Lindquist et al., 2012; Lindquist et al., 2016; Kober et al., 2008; Vytal & Hamann, 2010; Wager et al., 2015). Other anatomical analyses suggest that together these sub-cortical and paralimbic regions are involved in the affective predictions that engage visceromotor control and represent on-going bodily changes in the service of allostasis (Barrett & Simmons, 2015; Chanes & Barrett, 2016). Taken together, these neurobiological findings are consistent with the idea that hunger itself induces affective changes as part of allostasis, opening the possibility that hunger and emotions may be less distinct than proposed by previous theories (e.g., Auger & Curtis, 2013; Charnov, 1976; Panksepp, 1998; Woods, Schwartz, Baskin, & Seeley, 2000).

Building off of overlaps in both peripheral and central neurobiology, a psychological constructionist view predicts that both hunger and emotions share a common component, affect,

which can be conceptualized as either hunger or emotion depending on the context and where an individual's attention is directed. The psychological constructionist view thus predicts that how hunger-induced affect is conceptualized in context will alter the subsequent emotions and behaviors that occur when the individual is still hungry.

Hunger, Emotion, and Behavior

There is growing interest in hunger as a neurobiological state (e.g., Dagher, 2009; Drazen & Woods, 2003) and in hunger management and eating behaviors (e.g., Batra et al., 2013; Blundell et al., 2010). However, only a small body of research has examined the psychological consequences of hunger: how hunger is related to emotions, perceptions, and behaviors¹. It is typically assumed in introductory psychology textbooks (e.g., Bernstein, 2015; Myers & DeWall, 2015; Nairne, 2014; Reeve, 2015; Weiten, 2013) and numerous psychological theories (e.g., Charnov, 1976; Panksepp, 1998; Woods et al., 2000) that hunger is a “drive state” distinct from emotions. In this sense, hunger may trigger specific emotions or alterations in behaviors, but is fundamentally unique in kind from psychological states. This assumption can be seen in the existing literature, where it is assumed that hunger leads to regulatory depletion, which then mediates the effects of hunger on emotions (e.g., anger) and behaviors such as aggression and decision-making (Bushman et al., 2014; DeWall et al., 2011). However, this is the only pathway proposed to exist between hunger and emotion in the existing literature.

To date, there is scant evidence directly assessing people's self-reported emotions when hungry. Consistent with the shared neurobiology between hunger and affect, there are a few studies that have specifically measured mood-related changes (not specific to any one emotion); these studies find that hunger tends to increase feelings of unpleasantness and high arousal. For example, one experiment compared self-reports of “hedonic tone” and “energetic arousal” in diabetic vs. non-diabetic individuals during induced hypoglycemia (low blood sugar) and found that both diabetics and non-diabetics reported feeling more tense, stressed, tired and less energetic than their non-

¹ Although there is little work on hunger's impact on emotion, research that investigates the role of different nutrients (e.g., protein, fats, carbohydrates) in mood maintenance and mood disorders is growing (see Lai et al., 2013 for review). Additionally, new work focuses on gut microbiology's relation to disorders such as depression, anxiety, and autism via the gut-brain axis (see Cryan & Dinan, 2012; Luna & Foster, 2015; Mangiola et al., 2016 for reviews).

hypoglycemic counterparts (Hepburn, Deary, Munoz, & Frier, 1994). Taylor and Rachman (1988) found that for subjects with borderline hypoglycemia, cognitive performance deteriorated and negative mood increased as blood glucose levels fell. Similarly, experimentally-induced hypoglycemia in Type 1 diabetics led to significant increases in negative mood, decreases in positive mood, and higher arousal ratings of emotional images. However, hypoglycemia did not impact individuals' ratings of the valence or dominance of the images (Hermanns, Kubiak, Kulzer, & Haak, 2003). Two other studies found that healthy individuals reported nervousness or anxiety during a glucose depleted state (Hepburn et al., 1992; Deary, Hepburn, MacLeod, & Frier, 1993). In contrast, glucose levels that are too high may also negatively impact mood, at least in individuals with Type 1 diabetes: by experimentally inducing elevated glucose levels, individuals with diabetes reported feeling more tense and angry compared to diabetics at a typical level of glucose (Hermanns et al., 2007).

If studies measure “emotional” outcomes of hunger, most measure aggression rather than subjective emotion reports. These studies assume that aggression is the automatic output of emotions such as anger, frustration, or irritability. This assumption is consistent with basic emotion hypotheses (e.g., Ekman & Cordaro, 2011), but there is, in reality, little empirical support for the idea that specific emotions directly cause specific behaviors (see DeWall, Baumeister, Chester, & Bushman, 2016). Nonetheless, there remains a strong belief that anger and aggression are causally linked, especially in the hunger literature.

Indeed, aggression is the most extensively and longest researched behavioral phenomenon in relation to hunger, both in animals and humans, dating back to at least the 1950s (e.g., Andrew, 1956). Individuals in a hypoglycemic or hungry state do appear more prone to aggression (for reviews, see Benton, 1988; 2002), even if this says nothing of their specific emotional feelings at the time. For example, Virkkunen (1982, 1984, 1986) found that violent offenders were more likely to exhibit intense fluctuations in glucose levels as compared to non-violent offenders. Benton et al. (1998) found that young adult males whose blood glucose levels fell more rapidly than their cohort were more likely to verbally abuse others and make aggressive comments during a frustrating situation. This finding was replicated in young adult females, for whom lower levels of blood glucose correlated with increased aggressive tendencies (Donohoe & Benton, 1999).

In a more recent study, Bushman and colleagues (2014) tracked glucose levels in 107 married couples both before breakfast and before bedtime for twenty-one days. Participants were given a voodoo doll and instructed that the doll represented their spouse. At the end of the day, participants were instructed to stick the doll with anywhere from 0 to 51 pins to represent the angriest they felt with their spouse that day. Participants then recorded how many pins were used, which served as a behavioral index for how angry individuals felt. After twenty-one consecutive days of using the voodoo dolls, couples returned to the laboratory and performed a computer game in which they putatively competed against their spouse (in actuality, a computerized confederate). After participants lost the game to their “spouse” by a single point, the participant was then invited to blast their spouse with an extremely loud, unpleasant noise—where greater intensity and duration of the noise blast served as a measure of aggressive behavior. Results demonstrated that lower blood glucose across the twenty-one days of measurement significantly predicted the number of pins participants stuck into the voodoo doll and also predicted greater intensity and duration of the aggressive noise blast.

Almost all studies comparing glucose with aggression are correlational, but a small body of work provides preliminary support for a causal relation. In one study, researchers administered a glucose drink vs. a placebo drink to 6-year-old children at the end of the school day and found that the children who drank the glucose beverage were less likely to display irritable, frustrated behaviors during a difficult computer game compared with the children who drank the placebo (Benton, Brett, & Brain, 1987). A double-blind experiment with young adults replicated these results by showing that drinking a glucose-containing beverage significantly decreased reports of irritability and tension (Benton & Owens, 1993). More recently, Denson and colleagues (2011) found that adults who drank a glucose-containing beverage were less likely to aggress against others than those who drank a placebo.

Finally, other work has examined hunger’s impact on decision-making, under the hypothesis that hungry individuals are more likely to struggle with prioritizing long-term goals and postponing more immediate temptations. Lowenstein (1996, p. 275) originally proposed that hunger is a distinct motivational state that should only lead to greater impulsivity towards food; as such, hunger-induced

impulsivity should not transfer to other domains of delayed gratification and decision-making (see Loewenstein, 1996, 2000 discussions of visceral influences). A majority of research has thus focused on hunger and impulsivity in the context of food and eating behaviors, such as binge eating (e.g., Nederkoorn et al., 2009; for review, see Schag et al., 2013) and healthy vs. unhealthy food choices (Read & van Leeuwen, 1998). However, contrary to Loewenstein's original hypotheses, hungry individuals also make impulsive choices in other domains beyond eating behaviors. For example, fasted individuals with higher circulating ghrelin and diminished leptin made riskier lottery decisions in the laboratory compared to when those same individuals were satiated (Symmonds et al., 2010).

Taking these findings as a whole, hunger appears to induce affective changes and to correlate with unpleasant, high arousal self-reported emotions such as anger, frustration, tension, anxiety, and nervousness. Additionally, depleted glucose is causally linked with increased aggressive and impulsive behaviors. Despite these preliminary findings, the precise mechanisms underlying the link between hunger, emotional experiences, and behaviors remain unclear. I next discuss two possible mechanisms.

Mechanisms of the Hunger-Emotion Link

The Regulatory Depletion Hypothesis

The majority of the existing literature linking hunger to emotion and behaviors such as aggression and impulsivity assumes that hunger depletes self-control, which in turn causes individuals to mismanage negative affect, act aggressively, or to make poor decisions when hungry. This is referred to as the *regulatory depletion hypothesis* (see discussions in Bushman et al., 2014; DeWall et al., 2011; Gailliot & Baumeister, 2007). The regulatory depletion hypothesis was first inspired by work demonstrating that mental effort can deplete blood glucose (Fairclough & Houston, 2004; Hall & Brown, 1979). Subsequent experimental research suggests that resisting temptation and initiating self-control are cognitively draining tasks that utilize, and thus deplete, available blood glucose (DeWall et al., 2011; DeWall, Pond, & Bushman, 2010; Gailliot et al., 2007; Gailliot et al., 2009). In turn, it is assumed that if individuals are already in a depleted glucose state (i.e., hungry), then they should not have enough biological resources to support emotional and behavioral self-restraint (Bushman et al., 2014; DeWall et al., 2011; DeWall, Pond, & Bushman, 2010).

However, there are several problems with the regulatory depletion hypothesis that limit its ability to serve as the only mechanism explaining hunger's impact on emotions and behavior. First, not all findings are consistent with the idea that hunger depletes regulatory resources. For example, more recent evidence finds that hunger actually *facilitates* strategic decision-making (on the Iowa Gambling Task) and that in a delayed discounting task, hungry individuals were able to put off momentary gratification for bigger, long term rewards (de Ridder et al., 2014).

Second, the regulatory-depletion hypothesis is grounded in Baumeister and colleagues' resource model of self-control (Baumeister, 2003, 2014; Muraven & Baumeister, 2000; Vohs et al., 2014), which has been critiqued in recent years (Carter & McCullough, 2014; Carter et al., 2015; Dvorak & Simons, 2009; Job et al., 2013; Kurzban, 2010; Miles et al., 2016; Molden et al., 2012; Niven et al., 2013; Vadillo et al., 2016) following failed replications and mixed findings (see review in Inzlicht et al., 2014). According to the resource model of self-control, exerting self-control is like a muscle that can be exercised but also depleted. Using self-control thus leads to a refractory period during which self-control is impossible. Seeking to ground the resource model within biological constraints, Baumeister and others suggested that glucose may become depleted when self-control is exerted, leading to reduced biological resources for regulation (Gailliot et al., 2007; Gailliot & Baumeister, 2007). However, this underlying biological premise is unfounded, as the brain's glucose supply does not depend on the type of short term glucose fluctuations that could be caused by momentary exertion, but rather on longer term glucose stores in the liver (Coker & Kjaer, 2005; Peters et al., 2004).

Even if glucose does relate to self-control, there are unexplored third variables, such as glucose's impact on affect, that may instead be responsible for the observed effects. For example, simply receiving a reward (such as a sugary substance full of glucose) may have psychological effects such as increasing positive affect. These increases in positive affect may then in turn promote greater perseverance and perceived self-control (e.g., Clarkson et al., 2010; Molden et al., 2012; Sanders et al., 2012). Consistent with this alternative explanation, positive mood is known to induce greater self-efficacy and optimism about one's abilities (e.g., Gentsch, & Synofzik, 2014; Tugade & Fredrickson, 2004; see Lyubomirsky, King, & Diener, 2005 for review); positive mood can even

reverse ego depletion (Tice, Baumeister, Shmueli, & Muraven, 2007). Additionally, individual difference findings suggest that depletion is more in the mind of the perceiver rather than a fixed biological response (Job, Dweck, & Walton, 2010; Job et al., 2013): for example, task fatigue can actually promote greater effortful self-control rather than deplete it—at least in individuals who are highly motivated to succeed (Wright, Patrick, Thomas, & Barreto, 2013).

Finally, to my knowledge, no studies linking hunger to emotion and aggression explicitly test differences in self-regulation between hungry vs. satiated individuals. This gap in the literature is a serious issue for clarifying whether hungry individuals are more likely to feel angry and then act on those feelings due to regulatory depletion. Instead, I forward an alternate mechanism: that individuals conceptualize the affect induced by hunger as emotions based on the context. This alternate mechanism, that hunger can be conceptualized as emotional experiences, suggests a completely different model that is grounded in psychological constructionist theory.

A Psychological Constructionist Hypothesis

In contrast to the regulatory depletion hypothesis, I propose an alternate hypothesis in which individuals construct emotion out of the affective states induced by hunger. This hypothesis is inspired by a psychological constructionist approach to the mind (Barrett, in press; Clore & Ortony, 2013; Cunningham et al. 2013; Hackel et al., in press; Lindquist, 2013; Russell, 2003). Psychological constructionism hypothesizes that all mental states (including emotions, body states, thoughts, etc.) occur when affective sensations from the body are made meaningful in context. In this view, hunger and specific emotions such as anger are not different in essence from one another, but both involve the same underlying mechanisms. The first shared mechanism is called core affect.

Psychological construction proposes that *core affect* derives from the brain's initial affective predictions about the allostatic condition of the body (Barrett & Simmons, 2015; Chanes & Barrett, 2016). The brain constantly predicts the body's needs in a given context, marshaling visceromotor changes, and then incorporating representations of afferent information from the body into conscious experiences in order to update on-going predictions. The generation and representation of these visceromotor changes comprise core affect (see Figure 1; Barrett & Simmons, 2015; Chanes & Barrett, 2016; Russell, 2003). Subjectively, core affect is a “gestalt” sense of how pleasant vs.

unpleasant (valence) and activated vs. deactivated (arousal) an individual feels at any given moment (Barrett & Bliss-Moreau, 2009; Barrett & Russell, 2015; Lindquist, 2013; Russell, 2003). Arousal and valence, as properties of core affect, are widely considered dimensions of emotions and of conscious experiences more generally (Barrett, 2006; Barrett & Russell, 1998; Cacioppo et al. 2000; Duffy, 1957; Larsen & Diener, 1992; Mauss & Robinson, 2009; Reisenzein, 1994; Russell, 2003; Tellegen et al., 1994; Thayer, 1967, 1989; Watson & Tellegen, 1985; Wundt, 1897).

Through the ongoing generation of core affect, organisms can infer whether objects and situations are beneficial vs. harmful and whether they require action vs. not (Barrett & Bar, 2009; Barrett & Bliss-Moreau, 2009; Cabanac, 2002; Lindquist, 2013). The idea that core affect allows for basic evaluations of the world is consistent with other theories, such as Nauta's idea that visceral representations can inform and guide decisions (1971), Damasio's somatic marker hypothesis (Damasio, 1999; 2004), affect-as-information theory (Clore et al., 2001; Schwarz & Clore, 1983, 1988; Storbeck & Clore, 2008), and embodied predictive coding models (Barrett & Simmons, 2015; Seth, 2013, 2015; Seth, Suzuki, & Critchley, 2012).

Core affect may sometimes relate to more overt bodily changes such as when increases in heart rate and blood pressure correspond to increased perceptions of arousal. However, core affect likely also encompasses more distal shifts in homeostasis that are not themselves consciously perceived (see MacCormack & Lindquist, in press). Less overt bodily changes may still become represented as core affect if they impact larger visceral organs and the nervous system. For example, the effects of ghrelin can be felt as gastric wall contractions (involved in hunger pangs and a growling stomach; Carlson, 1931; Schwartz et al., 2000). Thus, even low-level biochemical shifts that support hunger, digestion, and other homeostatic functions, can still become represented as core affect via their local impacts on organs and the nervous system. These more distal homeostatic shifts may become incorporated into afferent peripheral representations that ultimately feed into central representations in the brain. These central nervous system representations are where peripheral information is integrated to produce a sense of the body's overall allostatic state. The brain then predicts what actions must be taken in order to maintain allostasis (e.g., engaging in action vs. maintaining the status quo).

Thus, a psychological constructionist hypothesis suggests that hunger does not necessarily impact our emotions and reactions to the world through regulatory depletion alone (as suggested by Bushman and other traditional models), but through core affect. However, the psychological constructionist approach also maintains that a shift in core affect is insufficient to experience hunger or an emotion—what differentiates the two is how a person makes meaning of his or her core affect in context.

Besides core affect, conceptual knowledge is also a necessary component for the psychological construction of any mental state. Conceptual knowledge refers to a person's knowledge about the world; it is at once both episodic and semantic because it is acquired from personal experience and social observation but also from language and cultural norms (Lindquist, MacCormack, & Shablack, 2015; Vigliocco et al., 2009; Wilson-Mendenhall et al., 2011). Conceptual knowledge is thought to exist as a population of instances of prior experiences rather than a set of prototypes for categories (Barrett, 2012; Barrett, Wilson-Mendenhall, & Barsalou, 2015). As such, each instance can be thought of as a stored “snapshot” of a prior experience that includes interoceptive representations and exteroceptive representations of what was happening in that situation (Barsalou, 2009; Borghi & Binkofski, 2014; Vigliocco et al., 2009). Thus, conceptual knowledge about emotion categories or body state categories such as hunger is ultimately rooted in a context.

Psychological constructionist approaches propose that all mental states are constructed when conceptual knowledge is used to make meaning of core affect via *situated conceptualization* (see Figure 1). Situated conceptualization occurs when the brain automatically uses exteroceptive information from the present situation and prior information from episodic and semantic memory to disambiguate the body's affective state, resulting in the construction of conscious experience (Barsalou, 2009; Lindquist, MacCormack, & Shablack, 2015). Evidence from cognitive and developmental science suggests that the brain uses statistical regularities derived from previous experience to automatically categorize sensations, predict the meaning of those sensations, and acquire new categories based on the statistical properties of ongoing sensations (see reviews in Carey, 2011; Clark, 2013; Oaksford & Chater, 2009; Sirois et al., 2008; Xu & Kushnir, 2013). Situated

conceptualization is thus a probabilistic process, determining which “meaning” is more probable given the present situation. A present situation that shares statistical similarities with a prior situation makes related information more accessible and can be used to inform future predictions, promoting learning and adaptation. In social cognition, this increased accessibility is called “priming” (see Barsalou, 2016 for discussion of priming in relation to situated conceptualization).

Situated inferences may be especially important for making meaning of core affect, which likely reaches the brain as relatively ambiguous representations of the body’s state due to the noisy, unmyelinated pathways from the peripheral nervous system to the brain. The brain must therefore use prior experiences and the context to help disambiguate the meaning of afferent information in the moment (Barrett & Simmons, 2015). Depending on the context and the allocation of attention in any given instance, core affect may thus be experienced as a mood (e.g., feeling generally unpleasant and high arousal), a property of an external stimulus (e.g., evaluating a person as unpleasant), a symptom (e.g., feeling nauseas), a body state (e.g., feeling hungry), or an emotion (e.g., feeling angry).

More generally, what individuals know about the body, such as how the body feels when satiated, and rested vs. hungry and tired, or how the body feels during different illnesses, may be relevant and important conceptual knowledge that helps the brain determine when afferent affective information should be categorized as an emotion (“anger”) vs. a body state (“hunger”). In other words, feeling shaky, sweaty, and nauseas could be concomitants of several different states: they could be symptoms of “body states” such as hunger, food poisoning, caffeine overdose, or influenza. They could also be features of “emotional” states such as anger and anxiety. Individuals with alexithymia, characterized as a deficit in knowledge about emotions, tend to experience their core affect as somatic symptoms (see Lindquist & Barrett, 2008a) rather than moods or emotions. It is possible that such individuals tend to over-conceptualize core affect as body states and under-conceptualize it as moods or emotions. By contrast, individuals with anxiety and depression may over-conceptualize core affect as moods and emotions (e.g., anxiety, sadness) and under-conceptualize it as body states (e.g., the result of inflammation due to disorder).

Thus, I hypothesize that feeling “hangry” may stem not from impairments in self-regulation

per se, but from making meaning of hunger-induced core affect as emotional in context. Given the probabilistic predictions of situated conceptualization, someone who is hungry (in an unpleasant, high arousal state) may be more likely to use these feelings of hunger to categorize core affect as anger or stress than hunger if he or she is in a frustrating situation. As such, hunger should not *always* result in feeling “hangry”—but only in situations where the individual is both hungry and the situation affords certain emotional situated conceptualizations. Additionally, as conscious emotion knowledge may help implicitly regulate resultant emotion states (e.g., Lieberman, Inagaki, Tabibnia, & Crockett, 2011), individuals may be more likely to feel “hangry” when they are not consciously focused on their internal emotional state but are instead focused on external circumstances. The present studies serve as an initial step towards addressing whether people conceptualize the negative feelings of hunger as feelings of emotions such as anger and stress when they are not aware they are doing so.

The Present Studies

In line with the predictions of psychological constructionist theory, I investigated whether hungry individuals will make meaning of their hunger-induced core affective state as the experience of emotions when 1) faced with a negative situation 2) when not explicitly aware of doing so. In Study 1, I used an Affect Misattribution Procedure (Payne, Cheng, Govorun, & Stewart, 2005) to manipulate the affective context and to test the extent to which hungry vs. satiated individuals are more likely to rate ambiguous stimuli as negative when in a negative context. Study 2 replicates Study 1 and demonstrates that the misattribution of hunger to ambiguous stimuli is specific to negative, high arousal contexts as opposed to any high arousal context. Finally, in Study 3, I directly tested whether participants who were unaware of making meaning of their core affect as emotional would be more likely to report increased emotions and interpersonal aggression following a frustrating interpersonal task. Study 3 also ruled out the hypothesis that hunger leads to self-regulatory depletion and thus increased emotions and aggression.

CHAPTER TWO: HUNGER SHIFTS AFFECTIVE PERCEPTIONS IN CONTEXT

Study 1 sought to first demonstrate that hunger would increase the extent to which individuals experienced an ambiguous stimulus as negative in a negative context. To do so, I used the Affect Misattribution Procedure (Payne et al., 2005; Payne, Hall, Cameron, & Bishara, 2010). This task is commonly employed as a measure of implicit bias in the context of social judgments (e.g., race, politics) but more generally measures the implicit process whereby an individual perceives the affect induced by one source as caused by another. I hypothesized that participants' hunger would interact with the negative context to further bias their affective ratings of ambiguous stimuli.

To test this hypothesis, participants first saw a negative, highly arousing or neutral image followed by an ambiguous Chinese pictograph. We operationalized this first image as the affective "context" in which the ambiguous Chinese pictograph was then experienced. Participants' task was to ignore the first image and use their "gut" response to judge whether the pictograph was negative or positive in meaning. After the Affect Misattribution Procedure, all participants reported on how hungry, fatigued, and thirsty they felt during the task. I predicted that hunger (but not fatigue and thirst) would interact with context type, such that those individuals who were hungry would be more likely to judge Chinese pictographs as negative when seeing it in a negative, highly arousing context.

Study 1 Method

Participants

In Study 1, 250 Mechanical Turk workers from the United States participated in the study for monetary compensation. As the task uses Chinese pictographs for ambiguous stimuli, four participants were excluded from analyses because they reported either a familiarity or fluency with Mandarin Chinese. Additionally, twenty-five participants failed attention checks and were excluded from subsequent analyses; another three participants had computer issues (e.g., the task froze) and were unable to complete the study, leading to a final sample of 218 participants (46% female; $M_{age}=35$, $SD_{age}=10.41$, ranged from 18-71 years old).

Procedure

I used a mixed model design, where self-reported hunger was the continuous between-subjects factor and context (negative, high arousal vs. neutral) was the within-subjects factor. After consenting to participate in the study, participants were oriented to the computer-based Affect Misattribution Procedure via Qualtrics. Participants were instructed that they would see affective images before each Chinese pictograph, and that they should try their best to ignore the affective image and instead focus on their intuitive judgment of the pictograph. All participants completed a practice block of eight trials with four neutral and four negative, high arousal photos. For each trial, participants saw a fixation cross on the center of the screen for 125 ms, then a neutral or negative photo for 75 ms, followed by a grey noise mask for 125 ms and the randomly-assigned pictograph for 100 ms. Participants then saw another fixation cross prior to rating how positive vs. negative they found the pictograph to be. All ratings were provided on a likert scale where 1= Extremely Positive, 4= Neither Positive nor Negative, and 7= Extremely Negative.

The task consisted of 40 target trials total, not including the eight practice trials. After the practice block, participants completed two counterbalanced blocks: a neutral image trial block or a negative, high arousal image trial block, with 20 target images each. Following the rating task, participants rated their engagement and attention during the task, followed by demographics and retrospective likert ratings of hunger, fatigue, and thirst as felt during the task. Measures are described in more detail below.

Materials

Affective images. I used a total of 24 neutral and 24 negative images selected from the International Affective Picture System to serve as the affective contexts (Lang, Bradley, & Cuthbert, 1997). Based on the IAPS norms, I selected images that fell between 1-4 for negative images and 4-6 for neutral images. Thus, negative images had a *mean valence* of 3.17 and *mean arousal* of 5.37; neutral images had a *mean valence* of 4.78 and *mean arousal* of 2.99. It was impossible to match negative and neutral images on arousal as negative images tend to be higher arousal on average in the IAPS set.

Chinese pictographs. Pictographs were randomly chosen from the standard, previously

validated pictograph set (Payne et al., 2010) and randomly assigned for pairing with the affective primes. Participants could rate each pictograph on a bipolar likert scale from 1= Extremely Positive to 4= Neither Positive nor Negative to 7= Extremely Negative. Participants' trial-by-trial ratings of the ambiguous pictograph targets were our dependent measures.

Self-reported engagement. All participants responded to six questions assessing how engaged they were in the task, how easy it was to focus and stay on task, and how successful they thought they were at ignoring the affective primes using a likert scale from 1 to 5 (1= Strongly Disagree, 5= Strongly Agree). A mean score was created from these six items ($M_{engage} = 4.42$, $SD_{engage} = .53$, range from 2.83 to 5.00, $\alpha = .75$).

Self-reported body states. Participants reported on their degree of hunger, thirst, and fatigue. For example, participants responded to “How hungry were you *during the rating task*?” on a likert scale from 1 to 6 (1= Not At All Hungry, 4= Somewhat Hungry, 6= Extremely Hungry). This was our measure of participants' hunger; participants' self-reported hunger ranged from 1 to 5 ($M = 2.15$ or “Mostly Full”), with no participants reporting feeling “Extremely Hungry”. Participants also reported when they last ate something (a small snack, full meal, or protein shake), how long they can usually go between meals with no snacks, and how typical today's eating had been compared to their usual eating habits. Participants further rated “How thirsty were you *during the rating task*?” on a likert scale from 1 to 5 (1= Not at all Thirsty; 3= Somewhat Thirsty; 5= Extremely Thirsty) and “How sleepy were you *during the rating task*?” (1= Extremely Wide Awake, 3= A Little Sleepy, 5= Extremely Sleepy) as potential bodily covariates that might influence participants' pictograph ratings. Thirst and sleep were controls to demonstrate the specificity of our effects.

Analyses

Due to the nested nature of the data, I computed a two-level multilevel model in SPSS software, with trial type (“Condition” with 0= Neutral, 1= Negative) as a predictor of participants' pictograph ratings at Level 1, and participants' self-reported Hunger as a predictor at Level 2. Descriptive statistics for all relevant variables and demographics are provided in Table 1. For the primary analyses (Hunger x Condition on pictograph ratings), I ran two models as part of standard model-building practices in multilevel modeling (Raudenbush & Bryk, 2001).

Model 1: Random effects ANOVA with no predictors. To first determine the degree of dependence in the data with the pictograph ratings (denoted as “Ratings” in models) as the outcome, I fit a random effects ANOVA with no predictors.

Model 2: Random intercepts model. After examining the degree of dependency between and within participants’ pictograph ratings, I used a random intercepts model to examine the cross-level interaction between hunger at Level 2 x condition at Level 1. I also examined interactions between condition and both thirst and sleepiness to determine whether the effect was specific to hunger or any body state.

Study 1 Results

Model 1: Random effects ANOVA with no predictors. The only fixed effect estimate in Model 1 is γ_{00} – that is, the model intercept or grand mean. $\gamma_{00} = 4.05$, meaning that the overall grand mean estimate of pictograph ratings for all possible individuals is 4.05 on the valence likert scale (see Table 2). In other words, as predicted, the estimated population intercept for rating the all pictographs is neither positive nor negative on the valence likert scale. Model 1 also revealed that the within-subjects variance of participants’ pictograph ratings is 2.59 units, while the between-subjects variance of individuals’ effect on pictograph ratings is .36 units.

Model 2: Random intercepts model. As in Model 1, in Model 2, the intercept was 4.30, suggesting that on average, participants rated the pictographs as neutral across all negative and neutral context trials. Yet as predicted, there was a significant main effect of *Condition* ($B = .36$, $p < .0001$), such that there was an estimated .362 unit increase in participants’ pictograph ratings on negative image trials compared to neutral image trials. Critical to our hypothesis, there was also a significant *Condition x Hunger* ($B = .06$, $p = .014$) interaction, such that the hungrier an individual reported feeling, the more negatively that individual rated the ambiguous pictographs in the context of negative images. There was no significant main effect for *Hunger* ($B = -.03$, $p = .403$), suggesting that feeling hungry does not make all pictograph ratings more negative; rather, hungrier participants only experienced ambiguous pictographs as more negative in the context of a preceding negative image. Consistent with this interpretation, a follow-up probe of the simple slopes found that negative pictograph ratings were greater for hungry individuals in negative trials, but not neutral trials (see

Figure 2).

Notably, individuals' self-reported mean engagement was negatively correlated with Hunger ($r = -.211$, $p = .002$) such that the hungrier individuals were, the more likely they were to report feeling like they struggled to concentrate on the task. On the one hand, this may be seen as a confound. On the other hand, it might be seen as part of the effect, insofar as hunger impacts perceptions of struggle. Regardless, when adding in mean engagement as a covariate (Model 3 in Table 2), the results from Model 2 still hold and there is no significant main effect of mean engagement nor a mean engagement x condition interaction on participants' pictograph ratings.

Finally, to ensure the specificity of effects, I performed two follow-up models with thirst and sleepiness as predictors instead of hunger. As in Model 2, there was again a significant main effect of condition in both follow-up models, whereby participants rated pictographs more negatively in the context of a negative image. However, there were no main effects of thirst nor sleepiness, nor a condition x thirst or condition x sleepiness interaction (see Table 3). Our findings were hunger-specific and not a product of participants experiencing any body state.

Study 1 Discussion

In Study 1, I found hunger-specific effects whereby the hungrier an individual self-reported feeling, the more likely she or he was to rate ambiguous pictographs as negative in the presence of a negative, but not neutral context. This suggests that the feelings engendered by hunger vs. satiation are likely to be conceptualized as evidence that stimuli are negative when the context elicits such conceptualizations.

According to some psychological models, judging a stimulus as negative (i.e., a "perception" or an "attitude") is a different psychological state from feeling unpleasant. However, this distinction is not made by a psychological constructionist approach. Rather, a psychological constructionist approach assumes that affect and conceptualization are ingredients in many different mental states (Barrett, 2009; Cunningham et al. 2013; Lindquist & Barrett, 2012; Lindquist, 2013); whether affect is attributed to an external stimulus (e.g., an attitude about a pictograph) or one's own body (e.g., a feeling of unpleasantness) depends on participants' attention in that context (Lindquist & Barrett, 2008b; Lee, Lindquist, & Payne, under review). The former is referred to as "world-focused"

experience and the latter is referred to as “self-focused” experience (Lambie & Marcel, 2002; Lindquist & Barrett, 2008b). Participants engaged in world-focused experience because they were asked to judge the affective qualities of the pictograph rather than how the pictograph made them feel.

One potential confound in Study 1 is that I cannot rule out the role of arousal in driving the findings, since the negative images significantly differed from the neutral images in terms of both valence (they were more negative) and arousal dimension (they were higher in arousal). Study 2 addresses this potential confound where the interaction of hunger and context is due to any high arousal context (positive vs. negative) vs. specific to a negative high arousal context.

CHAPTER THREE: HUNGER SHIFTS AFFECTIVE PERCEPTIONS IN A NEGATIVE CONTEXT

Study 2 built upon Study 1 to rule out whether hunger was likely to be conceptualized as emotion in any high arousal context or whether this effect was specific to negative, high arousal contexts. Study 2 thus replicated Study 1 in every way except it included an additional image condition. Besides the negative, high arousal and neutral trial conditions where participants saw negative, high arousal and neutral affective images prior to rating the ambiguous Chinese pictographs, participants also saw positive, high arousal affective images that were arousal-matched with the negative images prior to rating the pictographs.

I predicted that the effects of hunger on pictograph ratings would be specific to the negative image trials, but not the positive or neutral image trials because people tend to report unpleasant, high arousal states with hunger: In the literature previously reviewed, no study reported individuals feeling positive emotions. Additionally, I predicted that hunger (but not fatigue and thirst) would again interact with picture type, such that those individuals who were hungry would be even more likely to judge Chinese pictographs as negative after experiencing it in a negative context, but not after experiencing it in a positive or neutral context.

Study 2 Method

Participants

In Study 2, a new sample of 192 Mechanical Turk workers from the United States (48.4% female; $M_{age}=35$ years, $SD_{age}= 10.85$ years) participated in the study for monetary compensation. As in Study 1, five participants were excluded from analyses because they reported either a familiarity or fluency with Mandarin Chinese. Additionally, 18 participants were excluded from final analyses because they reported knowing what the AFFECT MISATtribution PROCEDURE tests (e.g., one participant reported that it “tests my automatic affective biases”) and 29 participants were excluded because they failed attention checks. Thus, the final sample for analyses was 140 participants (46.4% female; $M_{age}=35$ years, $SD_{age}= 10.54$ years, range from 20-62 years old).

Procedure

As in Study 1, I used a mixed model design, where self-reported hunger was the continuous between-subjects factor and context (neutral vs. negative, high arousal vs. positive, high arousal) was the within-subjects factor. Study 2's procedure identically replicated Study 1's procedure, with the addition of the positive, high arousal images. After a practice block, participants completed three counterbalanced blocks: a negative, high arousal image trial block, a neutral image trial block, and a positive, high arousal image trial block. Each block had 20 target images.

Materials

I used a total of 24 negative, 24 neutral, and 24 positive images selected from the International Affective Picture System to serve as our affective contexts with 20 target images each used in experimental blocks and 4 practice trials each that were intermixed in the practice block. In the IAPS, negative images range from 1-4, neutral images from 4-6, and positive images from 6-9. Based on the IAPS norms, I selected images that fell in the middle of each range for the negative, neutral, and positive images. These excluded highly graphic positive or negative images, which tend to be higher in positive and negative valence.

Thus, the chosen negative images ranged from 2.5-3.5 with a mean valence of 3.17 and mean arousal of 5.37, neutral images ranged from 4.5-5.5 with a mean valence of 4.78 and mean arousal of 2.99, and positive images ranged from 6.5-7.5 with a mean valence of 6.93 and mean arousal of 5.29. Negative and positive images did not significantly differ in terms of arousal [$t(38) = .52$, $p = .602$], but negative [$t(38) = 12.24$, $p < .0001$] and positive images [$t(38) = 11.96$, $p < .0001$] each differed from neutral images on arousal.

Analyses

Due to the nested nature of the data, I computed a two-level multilevel model similar to that used in Study 1 with SPSS software package. Trial type was dummy-coded ("Negative Condition" with 1 = Negative, 0 = Neutral, 0 = Positive; "Neutral Condition" with 0 = Negative, 1 = Neutral, 0 = Positive; and "Positive Condition" with 0 = Negative, 0 = Neutral, 1 = Positive,) as a predictor of participants' pictograph ratings at Level 1, and participants' self-reported Hunger as a predictor at Level 2, resulting in cross-level interactions between the conditions and hunger. Descriptive statistics for all

relevant variables and demographics are provided in Table 1. For the primary analyses (Hunger x Condition on pictograph ratings), I ran two models as part of standard model-building practices in multilevel modeling.

Model 1: Random effects ANOVA with no predictors. To first determine the degree of dependence in the data with the pictograph ratings (written as “Ratings” in models) as the outcome, I fit a random effects ANOVA with no predictors.

Model 2: Random intercepts model. After examining the degree of dependency between and within participants’ pictograph ratings, I used a random intercepts model to examine the cross-level interaction between hunger at Level 2 x dummy-coded conditions at Level 1. Neutral and its interaction with hunger were used as the reference category. I also examined interactions between condition and both thirst and sleepiness to determine whether the effect was specific to hunger or any body state.

Study 2 Results

Model 1: Random effects ANOVA with no predictors. The only fixed effect estimate in Model 1 is γ_{00} – that is, the model intercept or grand mean. $\gamma_{00} = 3.80$, meaning that the overall grand mean estimate of pictograph ratings for all possible individuals is 3.80 on the valence likert scale (see Table 3). In other words, as predicted, the estimated population intercept for rating the all pictographs is neither positive nor negative on the valence likert scale. Model 1 also revealed that the within-subjects variance of participants’ pictograph ratings is 3.14 units, while the between-subjects variance of individuals’ effect on pictograph ratings is .22 units.

Model 2: Random intercepts model. In Model 2, the intercept was 3.56, suggesting that participants rated the pictographs as neutral across all trials. As predicted, there was a significant main effect of *Negative Condition* ($B = .67, p < .0001$), such that there was an estimated .67 unit increase in participants’ pictograph ratings on negative image trials compared to neutral image trials. However, there was also a significant main effect of *Positive Condition* ($B = -.29, p < .0001$), such that there was an estimated .29 unit decrease in participants’ pictograph ratings on positive image trials (e.g., pictographs rated more pleasant) compared to neutral image trials.

Critical to our hypothesis and replicating Study 1, there was only a significant *Negative*

Condition x Hunger interaction ($B = .06, p = .031$), such that the hungrier an individual reported feeling, the more negatively that individual rated the ambiguous pictographs in the context of negative images. There was no significant interaction for Positive Condition x Hunger ($B = -.04, p = .186$). As in Study 1, there was no significant main effect for *Hunger* ($B = .05, p = .165$), suggesting that feeling hungry does not make pictograph ratings more negative in general. Consistent with this interpretation, a follow-up probe of the simple slopes found that negative pictograph ratings were greater for hungry individuals in the context of negative images, but not positive or neutral images (see Figure 3; Table 6).

Notably, as in Study 1, individuals' self-reported mean engagement was again negatively correlated with Hunger ($r = -.211, p = .002$) such that the hungrier individuals were, the more likely they were to report feeling like they struggled to concentrate on the task. However, when adding in mean engagement as a covariate (Model 3 in Table 4), the results from Model 2 still held: there was no significant main effect of mean engagement nor a mean engagement x condition interaction on participants' pictograph ratings.

Finally, to ensure the specificity of effects, I performed two follow-up models with thirst and sleepiness as predictors instead of hunger (see Table 5). As in Model 2, there was again a significant main effect of condition in both follow-up models, whereby participants rated pictographs more negatively in the context of a negative image or more positively in the context of a positive image. There was a significant main effect of thirst on pictographs being rated more negatively ($B = .13, p = .04$) but no significant main effect of sleepiness ($B = .02, p = .702$). Additionally, there were no significant interactions for *Negative Condition x Thirst* or *Negative Condition x Sleepy*, as in Study 1.

However, adding in the positive stimuli, there was a significant interaction for *Positive Condition x Thirst* and *Positive Condition x Sleepiness*. Individuals who reported being thirstier during the task were more likely to rate pictographs during the positive trials as more pleasant in nature ($B = .20, p < .0001$), but individuals who reported being sleepier were more likely to rate pictographs during the positive trials as more negative ($B = .10, p = .049$). Although feeling thirsty and sleepy impacted how individuals perceived the ambiguous pictographs in the context of positive images, the interaction between hunger and negative context was again specific to hunger and not other body states. These findings suggest that hunger is likely to induce negative, high arousal core affect.

Study 2 Discussion

In Study 2, I not only replicated our original findings from Study 1 but was also able to rule out that effects were general to conceptualizing hunger as any high arousal state. Instead, my findings suggest that hunger is conceptualized as unpleasant affect exclusively in the presence of a negative context. In contrast, hunger is not conceptualized as pleasant in the presence of a positive context. Consistent with Study 1, these data again suggest that the feelings engendered by hunger vs. satiation are likely to be conceptualized as evidence that stimuli are negative when the context elicits such conceptualizations.

CHAPTER FOUR: FEELING HANGRY AS A SITUATED CONCEPTUALIZATION

Studies 1 and 2 demonstrate that the feelings engendered by hunger can shape how negatively individuals perceive stimuli to be, but only when the context calls for such conceptualizations. Study 3 thus builds upon Studies 1-2 in three ways. First, I explicitly manipulated hunger vs. satiation to allow for causal inference. Consistent with Studies 1 and 2, I hypothesized that hunger will induce negative, high arousal feelings that can become conceptualized as emotion in a negative context (in this study, a frustrating situation). Second, I examined if hunger depletes individuals' willpower, as a test of the regulatory depletion hypothesis. Third, I manipulated individuals' attentional focus on emotional vs. nonemotional information as a way to direct their situated conceptualizations.

Given the relatively automatic, unconscious nature of situated conceptualizations (Barrett, Ochsner, & Gross, 2007), it may be that individuals only conceptualize their hunger as emotion when they are not explicitly focused on the emotional nature of their internal feelings. Becoming aware of emotional situated conceptualizations could instead alter the situated conceptualization process, such that individuals have the opportunity to implicitly regulate their states. That is, becoming aware that one is feeling "hangry" because they are conceptualizing their hunger as anger could serve to reduce the intensity of hangry feelings, effectively halting the automatic situated conceptualization process.

Thus, I predicted that whether participants make meaning of their core affective state as emotion or not depends on whether their attention is specifically drawn to emotion conceptualizations (e.g., self-focused awareness) or drawn to the current context (e.g., world-focused awareness).

Study 3 Method

Participants

In Study 3, 236 PSYC101 students (58% female; $M_{Age}=19$ years old, $SD_{Age}=2.48$, ranging from 17 to 45 years old) were recruited from the University of North Carolina at Chapel Hill study pool and participated in the laboratory experiment for research credit.

Procedure

Upon signing up for the experiment, participants were prescreened so that any individuals with diabetes, an eating disorder, or a mood disorder were excluded from the study. Additionally, individuals unwilling or unable to change their normal eating schedule prior to lab arrival were excluded. After prescreening, participants were randomly assigned to a 2 (Body State: hungry vs. satiated) x 3 (Attentional Focus: anger vs. sadness vs. no emotion) between-subjects design. Participants in the hunger condition fasted for five or more hours prior to participation and participants in the satiated condition ate a full meal or large snack less than one hour prior to participation. As a cover story, participants were told that the study was about “visual performance” and that they needed to fast vs. eat prior to arrival so that we could control for the impact of glucose on visual performance.

Fasting manipulation check. Upon arrival, participants completed informed consent and a “Blood Glucose Questionnaire” which served as our control to ensure that participants had actually fasted or eaten as instructed. The questionnaire consisted of three items indexing when the participant last ate or drank something other than water (7-point likert scale, 1=Less than one hour ago, 7=More than six hours ago), how hungry the participant felt (7-point likert scale, 1=Not at all hungry, 7= Extremely hungry), and what type of meal they had last eaten (a full meal, moderate snack, small snack, or caloric beverage such as a protein shake, coffee, juice, soda, etc.). After completing the questionnaire, the experimenter checked that the assigned hungry vs. satiated state condition had been met. Participants in the hunger condition who had eaten less than 5 hours prior to arrival or participants in the satiation condition who had eaten more than 1 hour prior to arrival and had not eaten a full meal or moderate snack were rescheduled and re-instructed according to their assigned condition.

Baseline measures of affect. Before beginning the session, all participants completed baseline measures of affect. First, participants received a standard affect grid where they marked their current feelings of valence and arousal; afterwards, they also completed an open-ended feelings report where they were instructed to provide a detailed summary of their current feelings.

Measure of regulatory depletion. After completing the baseline measures of affect, all

participants completed a tedious Mental Rotation task that consisted of geometric shapes taken from Shepard and Metzler (1971). As per Williams & DeSteno, 2008, this task was used to assess perseverance, which relies on self-regulation. Specifically, we examined whether individuals who were hungry were less able to engage in self-regulation to complete the tedious task than those who were satiated. On each trial, participants compared the images of two geometrical figures on a computer screen and determined if these figures were able to be rotated in space to match one another or not. Participants were told that the figure combinations were infinite and that the task would take longer than the experiment would allow. Thus, participants were shown how to exit out of the task when they felt they had completed as many trials as they could. Time (in minutes) participants spent on this task thus served as our measure of self-regulation.

Storytelling prime task. Next, all participants completed a storytelling task meant to direct participants' explicit focus to emotional vs. non-emotional content (adapted from Lindquist & Barrett, 2008b). For this task, participants were randomly assigned to view a single male face that was either a prototypically angry, sad, or neutral face. Participants were told that the individual was named Jon and that they should describe what he was feeling. In each condition, they were told "Jon feels angry (sad/neutral)." Please answer the following questions about what he is thinking, feeling, and what he'll do next." Participants were told that the task measured their "cognitive complexity" and were encouraged to be as detailed as possible. Participants wrote down their responses and this task was later transcribed and coded for analysis using the Linguistic Inquiry and Word Count (LIWC2015; Pennebaker et al., 2015) program.

Frustrating situation. Next, all participants went through the same negative, frustrating situation to provide a believable context in which they could conceptualize their hunger-induced negative affect as emotion. Adapting Bushman and Baumeister's well-validated and replicated displaced aggression paradigm (1998), participants completed a "Visual Dexterity" task on the computer. In this task, participants saw a series of concentric colored circles and were asked to decide as quickly and accurately as possible whether the number of circles was odd or even. Participants were told that this task measured the speed and accuracy of their visual perception. After 100 rating trials, participants suddenly received an error message that was programmed into Eprime,

simulating a Windows computer crash. This prompted the participant to seek out the experimenter outside the testing room to inform him/her of the computer crash. All experimenters were trained to deliver the exact same performance in reaction to the computer crash. The experimenter entered the testing room, looking surprised, confused, and slightly annoyed. The experimenter then tried fixing the crash by typing on the keyboard and clicking the mouse. The experimenter said “This has never happened before”, then asked the participant: “What did you do? What keys did you press?” Next, the experimenter said: “I don’t know how to fix this, but I’m going to go contact my supervisor to find out. Once I get the task fixed, you’re going to have to do the whole task over again.” After this, the experimenter left the room for a brief period (2 minutes), allowing the participant to consider the situation alone.

Dependent measures. After the brief period was over, the experimenter re-entered the testing room with a manila envelope filled with questionnaires. S/he said s/he needed to go talk to the study supervisor about the computer crash but asked the participant to fill out the questionnaires in the meantime to save time. Inside the envelope were the two dependent measures: one questionnaire rating the quality of the experimenter and the study; another questionnaire rating the participants’ emotions. The cover story was that our lab had been randomly selected by the Psychology and Neuroscience Department for a routine quality control study on research within the department. Participants were informed that the questionnaires would be used to evaluate whether the experimenters were performing their jobs well. The participant was ensured that the questionnaires were completely anonymous and that she or he should seal the envelope after finishing the questionnaires to ensure the confidentiality of the responses.

For the “Rate Your Experience” questionnaire, participants rated their personal impressions of the experimenter on a scale created by the lab—as aggressive, helpful, lacking empathy, professional, and judgmental. All items were rated for agreement using a 7-point likert scale (0= Not At All to 6= Extremely). For the “Participant Satisfaction” questionnaire, I used the modified Differentiated Emotion Scale (mDES; Fredrickson et al., 2003) for participants’ self-reported emotion experiences. Participants rated how many times they had experienced that emotion *during the lab visit today* using a 5-point likert scale (0=Not At All to 4=Extremely). The mDES covers 20 emotion

questions, with each question containing 3 similar emotion terms that are fairly synonymous. In total, there were 10 positive emotion questions (e.g., “What is the most grateful, appreciative, or thankful you felt?”) and 10 negative emotion questions (e.g., “What is the most angry, irritated, or annoyed you felt?”).

Demographics and debriefing. After the participant completed the dependent measures, the experimenter re-entered the testing room and told the participant that the study supervisor had decided the participant did not need to redo the “Visual Dexterity” task after all. Participants then completed a standard demographics questionnaire before beginning a funneled debriefing. For funneled debriefing, participants were interviewed about their general thoughts and reactions to the experiment and also their impressions about what the experiment assessed. After participants provided their perspective, they were debriefed as to the true nature of the experiment. No participants reported that they thought the study was about hunger’s influence on their emotions and interpersonal judgments.

Analyses

To prepare the data for analysis, I first created a mean score for participants’ self-reported Negative, High Arousal Affect (mean score included ratings for the anger, contempt, disgust, hate, fear, embarrassment, and stress items; $\alpha = .73$). These items were chosen because the literature consistently shows that hunger induces unpleasant, highly aroused affect, as discussed in the previous literature review. As I was interested in participants’ interpersonal judgments of the experimenter, I also created a mean score for participants’ ratings of the experimenter consisting of ratings on how helpful, professional, empathetic, difficult, aggressive, and judgmental the experimenter was. Positive items were reverse scored resulting in an index of unpleasant interpersonal judgments ($\alpha = .72$). I also examined the manipulation check (Blood Glucose Questionnaire) to double-check that fasting participants were hungry and that satiated participants were indeed not hungry. There were 119 hungry vs. 117 satiated participants originally. However, 47 participants who were assigned to fast for 5 or more hours still reported being somewhat full (3) or lower on the “How hungry are you right now?” scale (1=Not At All Hungry to 7= Extremely Hungry). This likely represents individual differences in satiety between meals: however, as these participants

were not hungry, they were re-assigned to the respective satiated condition, resulting in 72 hungry participants and 162 satiated participants. These re-assignments of hunger vs. satiation were used in the final analyses.

Additionally, as a manipulation check, I content-coded participants' responses on the storytelling task using the LIWC (2015 version; Pennebaker et al., 2015) to ensure that participants in the Anger-focused condition were using more anger words than those in the Sadness-focused and No Emotion focused conditions and vice versa in the Sadness-focused condition. In the No Emotion focused condition I ensured that participants were not explicitly focusing on emotion categories.

Finally, to test the primary hypotheses, I performed two steps. First, to rule out that hunger induces self-regulatory depletion, I used an independent-samples t-test to compare how long hungry vs. satiated participants persisted at the mental rotation task. Second, to test the primary hypothesis that hunger can become conceptualized as emotion, I examined main effects and interactions using a series of 2 body state (hunger vs. satiated) x 3 emotion-focus (anger vs. sadness vs. no emotion) between-subjects ANOVAs. The dependent variables in the ANOVAs were participants' self-reported emotions and perceptions of the experiment and experimenter.

Study 3 Results

LIWC manipulation checks. A one-way ANOVA with counts of anger words as the outcome revealed significant differences between the Anger-focused conditions ($M=5.39$), Sadness-focused conditions ($M=.835$), and No Emotion-focused conditions ($M=.319$) [$F(2,235)=200.32$, $p<.0001$]. Post-hoc simple effects confirmed that individuals in the Anger-focused conditions were significantly more likely to write about anger than individuals in the Sadness-focused ($p<.0001$) and No Emotion-focused conditions ($p<.0001$), but there was no significant difference in use of anger words between Sadness-focused and No Emotion-focused conditions ($p=.182$).

Similarly, a one-way ANOVA with counts of sadness words as the outcome revealed significant differences between the Anger-focused conditions ($M=.803$), Sadness-focused conditions ($M=5.65$), and No Emotion-focused conditions ($M=.669$) [$F(2,235)=211.42$, $p<.0001$]. Post-hoc simple effects confirmed that individuals in the Sadness-focused conditions were significantly more likely to write about sadness than individuals in the Anger-focused ($p<.0001$) and No Emotion-

focused conditions ($p < .0001$), but there was no significant difference in use of sadness words between Anger-focused and No Emotion-focused conditions ($p = .950$).

To ensure that the No Emotion-focused conditions did not prime emotional information, I used a one-way ANOVA with counts of affective words as the outcome. This ANOVA revealed significant differences between the Anger-focused conditions ($M = 9.913$), Sadness-focused conditions ($M = 10.457$), and No Emotion-focused conditions ($M = 6.803$) [$F(2,235) = 30.12$, $p < .0001$]. Post-hoc simple effects confirmed that individuals in the No Emotion-focused conditions were significantly less likely to use affective words than individuals in the Anger-focused ($p < .0001$) or Sadness-focused conditions ($p < .0001$), but there was no significant difference in use of affective words between Anger-focused and Sadness-focused conditions ($p = .627$). This suggests that, as intended, participants in the No Emotion-focused conditions wrote less about pleasantness and unpleasantness in general as compared to individuals in the Anger- and Sadness-focused conditions.

As an additional control, I wanted to ensure that hungry participants did not talk about food more than satiated participants and that there were no interactions with hunger and attention conditions in relation to food word use. Thus, I ran a 2 (Hunger vs. Satiation) \times 3 (Anger-focused, Sadness-focused, No Emotion-focused) ANOVA and examined the proportion of food-related word use as the dependent variable. There were no significant main effects or interactions for Body State or Attentional Focus on the use of food-related words. This supports the inference that being hungry did not lead individuals to talk about food more than satiated individuals and that hunger did not interact with Attentional Focus to influence participants' discussion of food words.

Regulatory depletion. Contrary to prior hypotheses (Bushman et al., 2014), hunger did not induce self-regulatory depletion: hungry participants persevered as long as satiated participants on the mental rotation task (mean time for hunger = 7.96 minutes vs. satiated = 9.48 minutes), $t(197) = -1.64$, $p = .103$. See Figure 4.

Self-reported emotions. With regard to self-reported mean high arousal and negative emotions, the 2 (Hunger vs. Satiation) \times 3 (Anger-focused, Sadness-focused, No Emotion-focused) ANOVA did not reveal any significant main effects of the Body State or Attentional Focus factors. However, as predicted, there was a significant interaction between Body State \times Attentional Focus

[$F(2,225)=3.70$, $p=.026$]. Table 7 shows these mean differences with reported confidence intervals (see Figure 5 for graph). A doubly centered interaction contrast (cf. Abelson & Prentice, 1997) confirmed my a priori predictions that hungry participants who did not focus on emotional information ($M= .847$) were more likely to report experiencing negative, high arousal emotions as compared to other hungry participants who focused on anger ($M= .497$) vs. sadness ($M= .487$), or as compared to satiated participants who focused on anger ($M= .556$), sadness ($M= .514$), or no emotional information ($M= .488$) [$F(1,225)=7.45$, $p=.006$].

As a follow-up, I further probed participants' self reports of the emotion categories that were a priori most relevant to the negative interpersonal situation that participants had just experienced: anger, hate, and stress. Again using a 2 (Hunger vs. Satiation) x 3 (Anger-focused, Sadness-focused, No Emotion-focused) ANOVA, I found significant effects for self-reports of hate and stress, but contrary to expectations, not for anger. See Table 7 for the non-significant Anger mean differences with reported confidence intervals.

For self-reports of "hate," there was a significant main effect for Body State [$F(1,223)=5.34$, $p=.022$] such that individuals who fasted were more likely to report feeling hate compared to individuals who were satiated. I also observed a marginally significant main effect for Attentional Focus [$F(2,223)=2.40$, $p=.093$]. Simple effects revealed that within the Attentional Focus factor, participants in the No Emotion-focused condition were significantly more likely to report feeling hate than participants in the Anger-focused ($p=.002$) and Sadness-focused conditions ($p=.022$). Finally, there was a significant interaction between Body State x Attentional Focus [$F(1,223)=5.32$, $p=.006$]. Table 7 shows these mean differences with reported confidence intervals (see Figure 6 for graph). A doubly centered interaction contrast confirmed my a priori predictions that hungry participants who did not focus on emotional information ($M= .583$) were more likely to report experiencing hate as compared to other hungry participants who focused on anger ($M= .091$) vs. sadness ($M= .231$), or as compared to satiated participants who focused on anger ($M= .211$), sadness ($M= .078$), or no emotional information ($M= .082$) [$F(1,223)=8.78$, $p=.003$].

For self-reported Stress, there were no significant main effects for Body State or Attentional Focus [$F(1,225)=.02$, $p=.899$; $F(2,225)=1.64$, $p=.196$]. However, there was again a significant

interaction between Body State x Attentional Focus [$F(2,225)=3.16$, $p=.044$]. Table 7 shows these mean differences with reported confidence intervals (see Figure 7 for graph). A doubly centered interaction contrast confirmed my a priori predictions that hungry participants who did not focus on emotional information ($M= 1.625$) were more likely to report experiencing stress as compared to other hungry participants who focused on anger ($M= 1.045$) vs. sadness ($M= .885$), or as compared to satiated participants who focused on anger ($M= 1.246$), sadness ($M= 1.173$), or no emotional information ($M= 1.080$) [$F(1,223)=6.28$, $p=.012$].

Self-reported perceptions of the experimenter. Finally, to examine participants' interpersonal judgments of the experimenter, I ran a 2 (Hunger vs. Satiation) x 3 (Anger-focused, Sadness-focused, No Emotion-focused) ANOVA using the mean experimenter ratings score as the dependent variable (i.e., how helpful, professional, empathetic, difficult, aggressive, and judgmental the experimenter was). This ANOVA did not reveal any significant main effects of the Body State or Attentional Focus factors nor a significant interaction. Table 7 shows these mean differences with reported confidence intervals.

As a follow-up, I examined the items that were a priori most likely to relate to the negative interpersonal situation participants had experienced (how aggressive, lacking empathy, and judgmental the experimenter was) to ascertain whether hunger interacted with awareness to influence individuals' interpersonal judgments. Again, I ran 2 (Hunger vs. Satiation) x 3 (Anger-focused, Sadness-focused, No Emotion-focused) ANOVAs with experimenters' rated aggressiveness, lack of empathy, and judgmentalness as the dependent variables. No models emerged as significant for participants' ratings of aggressiveness or lack of empathy. See Table 7 for the non-significant aggressiveness and lack of empathy mean differences with reported confidence intervals.

There were, however, significant effects for participants' ratings of the experimenter as judgmental. There was no significant main effect for Body State [$F(1,225)= 2.70$, $p=.152$] but there was a significant main effect for Attentional Focus [$F(2,225)=4.48$, $p=.012$]. Simple effects revealed that within the Attentional Focus factor, participants in the No Emotion-focused conditions were significantly more likely to rate the experimenter as judgmental compared to participants in the Anger-focused ($p=.004$) and Sadness-focused conditions ($p=.041$). There was also a marginally significant

interaction between Body State x Attentional Focus [$F(2,225)=2.78, p=.064$]. Table 7 shows these mean differences with reported confidence intervals (see Figure 8 for graph). A doubly centered interaction contrast confirmed my a priori prediction that hungry participants who did not focus on emotional information ($M= .625$) were more likely to rate the experimenter as more judgmental as compared to other hungry participants who focused on anger ($M= .045$) vs. sadness ($M= .154$), or as compared to satiated participants who focused on anger ($M= .070$), sadness ($M= .173$), or no emotional information ($M= .173$) [$F(1,227)=5.59, p=.018$].

Self-regulation as a covariate. To determine if self-regulation interacted with participants' manipulated Body State or Attentional Focus to impact self-reported emotions or interpersonal judgments, I re-ran the ANOVA models above as ANCOVAs. Self-regulation did not bear any significant main effects on emotions or interpersonal judgments, nor did self-regulation significantly interact with Hunger vs. Satiation or participants being Anger-focused, Sadness-focused, or No Emotion-focused.

Study 3 Discussion

In Study 3, I found evidence that hunger can become conceptualized as emotion in a frustrating situation, but only when individuals are not focused on emotions. Consistent with my predictions, hungry individuals reported greater unpleasant, high arousal emotions when their attention was not specifically drawn to their self-focused emotional experiences. In an exploratory analysis, individuals were also more likely to view the research assistant as judgmental if they were hungry but were not focused specifically on their emotions. Critically, contrary to the *regulatory depletion hypothesis*, hungry vs. satiated individuals did not differ in self-regulation, nor did self-regulation impact participants' self-reported emotions and interpersonal judgments when controlled for in analyses. This suggests that regulatory depletion, at least in the present study, did not play a powerful role in shaping individuals' emotions and judgments.

Of course, it remains a possibility that our measure of perseverance did not adequately measure participants' self-regulatory abilities. However, the fact that hunger interacted with participants' awareness about emotions and the fact that I did not consistently find a main effect of hunger further underscores the interpretation that hunger does not automatically reduce self-

regulation and heighten participants' emotional responses. Instead, these findings are consistent with the idea that hunger is experienced as emotion in a negative context when participants are not aware of conceptualizing it as an emotional state.

CHAPTER FIVE: THE AFFECTIVE POWER OF HUNGER

Across three studies, I found that hunger is experienced as emotion in a negative context, but only when participants are not aware of conceptualizing it as an emotional state. In Studies 1 and 2, participants completed an Affect Misattribution Procedure, which measures participants' tendency to misattribute primed affect to an ambiguous stimulus. Although participants are directed to ignore the Affect Misattribution Procedure's affective primes, they are largely unaware of misattributing the meaning of the prime to a neutral stimulus and struggle to regulate this automatic process (Payne et al., 2005; 2010). I observed that hungry participants misattribute unpleasant meaning to the ambiguous stimuli even more strongly when in the presence of a negative, highly aroused affective context vs. a neutral context.

Critically, hungry individuals did not see all ambiguous stimuli as more negative, suggesting that hunger is only made meaningful as affective information in context. Study 2 replicated these findings and demonstrated that participants did not misattribute pleasant meaning to the ambiguous stimulus in a positive, highly aroused affective context. These findings suggest that hunger is made meaningful as emotion in primarily negative contexts—most likely when participants are unaware of doing so.

Study 3 built upon and extended these findings by conceptually replicating them in a real-life interpersonal context. Study 3 also specifically manipulated participants' level of hunger as well as their awareness of making emotional conceptualizations. I found that individuals did make situated conceptualizations of hunger as emotion, but only when they were not explicitly focused on emotional information. Additionally, Study 3 ruled out that hunger leads to regulatory depletion, at least when perseverance is used as a proxy of self-regulation. My findings thus do not support the idea that regulatory depletion is the singular mechanism by which hunger impacts emotion.

Prior theory assumes that hunger reduces the constraints that normally prevent individuals

from feeling unbridled emotions, making impulsive or harsh judgments, and aggressing against others. This hypothesis is largely inspired by Baumeister and colleagues' work on ego depletion and the potential role of glucose as a regulatory resource. There are recognized drawbacks to the regulatory depletion hypothesis in general (Carter et al., 2015; Inzlicht et al., 2014; Job et al., 2013; Molden et al., 2012; Vadillo et al., 2016) and these findings suggest a further limitation to the theory. Hunger may influence emotion by depleting self-regulation in some instances, but it did not in the present study. To my knowledge, this is the first study to explicitly manipulate hunger vs. satiation and examine the effects of subjective hunger on self-regulation.

Rather than finding evidence that hunger causes regulatory depletion, Study 3 suggests that the colloquial feeling of “hanger” stems from making meaning of hunger-induced core affective sensations as feelings of emotion in an unpleasant context. The idea that conceptualizing one's core affect as an emotion alters experience is ultimately consistent with a psychological constructionist account. In some cases, implicitly priming emotion concepts increases the likelihood that a person will conceptualize his or her ensuing core affective state as a specific emotion and thus behave in an emotional manner (Dutton & Aron, 1975; Lindquist & Barrett, 2008b; Schachter & Singer, 1962; Oosterwijk et al., 2009).

Yet in other cases, more explicitly asking participants to label their core affective state (i.e., “affect labeling”) reduces the intensity of emotional experience (e.g., Kashdan et al., 2015; Lieberman et al., 2007; 2011; Pond et al., 2011; Suvak et al., 2011). Both of these findings are ultimately consistent with a psychological constructionist account (Lindquist et al., 2015), which suggests that whether conceptual knowledge is made accessible in a more or less explicit manner alters the dynamics between core affect and conceptualization.

For instance, the literature on “affect labeling” may help clarify why hungry individuals were not more likely to report feeling unpleasant emotions when explicitly focused on anger vs. sadness. Much research suggests that drawing attention to affective feelings by putting feelings into words can actually regulate or reduce the distress and affective intensity of an emotion (Pennebaker & Beall, 1986). For example, writing or talking about emotions can help individuals better cope with and even reduce the long-term distress caused by trauma (Pennebaker, 1997). A recent meta-analysis of 356

neuroimaging studies also found that the presence of emotion labels in tasks reduced amygdala activation, which is associated with processing affective information (Brooks, Shablack et al., 2016).

Similarly, work by Lieberman and colleagues (2007, 2011) shows that by simply pairing a single word with a stimulus—such as saying the word “sadness” when looking at a frown—can actually reduce the intensity of the emotion, both as a result of perceiving emotions on the faces of others and during experiences of emotion. It is sometimes assumed that this “muting” effect of affect labeling may be because engaging in conscious reflection (e.g., telling a story about why Jon is angry vs. sad) causes detachment, disrupting the more automatic, first person flow of subjective experience (cf., Lieberman, 2011). While this account is plausible, it is also possible that more explicit labeling of one’s core affective state allows a person to make meaning of that state and then subsequently engage in regulation (Lindquist et al., 2015). In this view, identifying that the source of one’s body state is emotional allows a person to implicitly regulate that emotion.

Studies 1 and 2 did not ask individuals to label their feelings and in fact, no emotion terms were used. Participants saw terms like pleasant, unpleasant, and neutral to rate their perceptions of the ambiguous Chinese pictographs, but never categorized their perceptions as a specific emotion. However, in Study 3, participants were randomly assigned to write about anger, sadness, or no emotion in particular. As only individuals in the Hunger x No Emotion-focused condition reported significant differences in emotion experience, it may be that the presence of anger and sadness labels disrupted the impact of hunger on emotion, consistent with the affect labeling work. Further research explicitly testing the impact of affect labeling on hunger’s connection to emotion could clarify the mechanisms behind these results.

Broader Implications

The present findings have important implications for psychological theory. First, they support the psychological constructionist view that affect is made meaningful in context via conceptual knowledge. Other common emotion theories, such as basic emotion and causal appraisal theories cannot easily account for the findings observed in Studies 1-3. Basic and causal appraisal views of emotion assume that discrete emotion states such as *anger*, *fear*, and *happiness* are inborn, inherited states that are produced by specific anatomical regions in the brain, which in turn produce emotion-

specific facial muscle movements, physiological patterns, and cognitions (e.g., basic emotion views: Ekman & Cordaro, 2011; Panksepp, 1998; Sprengelmeyer et al., 1996; Tracy, 2014; causal appraisal views: Arnold, 1960; Lazarus, 1966; Roseman, 2011; Scherer, 2001).

In these approaches, bodily changes such as hunger can never constitute or become an emotion because emotions and hunger stem from two distinct biological systems. Granted, the two biological systems could have reciprocal influences on one another, such that hunger activates discrete emotions. This interpretation would not readily explain the opposite effect however: that people sometimes confuse core affect for hunger. For instance, individuals with restrained or maladaptive eating sometimes interpret anxiety as hunger (Herman et al. 1987; McKenna, 1972). This finding is much more consistent with the idea that hunger and emotion are both the result of relatively ambiguous core affective states than the idea that they are completely separate systems with their own distinct phenomenology.

Furthermore, in Study 3, hunger did not demonstrate an exclusive relationship with any specific emotion (e.g., anger). In fact, there were no significant effects for self-reports of “anger.” Instead, hungry participants reported several negative, high arousal states (e.g., hate, stress). Consistent with the fact that the No Emotion-focused condition did not direct individuals to focus on specific internal states, it is possible that the emotions endorsed by individuals in this condition reflect world-focused emotions (Lambie & Marcel, 2002; Lindquist & Barrett, 2008b) that characterize the situation (e.g., a hated researcher, a stressful situation). Nonetheless, endorsement of these specific emotions were only significant in the Hunger x No Emotion-focused condition, suggesting that without a specific emotion label that is easily accessible to attach to affective feelings, hunger does not automatically lead to anger or any single emotion.

Critically, the emotions endorsed all share the same underlying core affective feelings (i.e., negative and high arousal), suggesting that individuals can construct a variety of emotions out of the affective sensations associated with hunger, depending on the situated conceptualization that is made. Again, this is consistent with the idea that hunger and emotion are both the result of relatively ambiguous core affective states. Despite the colloquial expression of feeling “hangry”, these data reveal that hunger may result in any given negative, high arousal emotion depending on how it is

conceptualized in context.

My findings also help refine the construct of core affect. It is often assumed that core affect is only computed centrally in the brain, in turn altering body states. However, there is growing acknowledgement for the opposite direction of effects, such that affective representations in the brain incorporate on-going bodily changes (Barrett & Simmons, 2015; Critchley & Nagai, 2012; MacCormack & Lindquist, in press; Russell, 2003). In this sense, bodily phenomena that may not be proximally linked to the present context (e.g., hunger in the presence of an offense) are able to ultimately influence evaluations of that context. This idea has important implications for how we think of “accurate” and “inaccurate” perceptions of the world.

For instance, it is often assumed that when core affect related to a less proximal cause (e.g., hunger) influences judgments of the context (e.g., the presence of an offense) that it is an “inaccurate” perception of the world. Core affect is thus said to be *misattributed* in such situations. However, the psychological constructionist conception of core affect begins to break down the boundaries between attribution and *misattribution*. Psychological construction does not assume conscious access to this meaning-making process, but rather that the brain is predicting and drawing on converging stimuli in the moment to construct meaning about what the body is feeling and what is happening in the environment. The brain does make prediction errors (e.g., Iglesias et al., 2013) but assuming that all instances of “misattribution” (e.g., getting hangry) are prediction errors ignores the fact that core affect is always relevant in the context of allostasis.

Even if the unpleasant, high arousal affect induced by hunger seems irrelevant to the current situation (e.g., finishing a task at work), it is ultimately relevant because affect motivates behaviors that facilitate a return to or maintenance of allostasis in the present. That is, a shift in core affect due to hunger is ultimately relevant when, say, finishing a task at work because it means that the body needs to return to homeostasis. This allostatic need could in fact change the momentary affective relevance of certain stimuli for the organism.

The present findings thus complement *affect misattribution theory* and the *situated inference model* of cognition. Affect misattribution theories of emotion are traditionally seen as distinct from psychological construction, but can, in our view, be classified as psychological constructionist in

nature (see Gendron & Barrett, 2009; MacCormack & Lindquist, in press; Shaked & Clore, in press). Affect misattribution theories propose that emotions occur when core affect (either as ambiguous arousal, valence, or valence plus arousal) is made meaningful based on some feature or aspect of the present situation. This is similar to the constructionist proposal that core affect can be constructed into emotion via situated conceptualization.

Affect misattribution has a long history dating back to Schachter and Singer (1962), who proposed a two-component model where emotions result when ambiguous, unexplained bodily arousal is attributed to a specific cause using situated interpretation (i.e., what explanation is readily accessible to the individual). Schachter and Singer's two-factor theory is often characterized as a "cognitive" appraisal approach to emotion as it involves "meaning-making," but is better characterized as an early psychological constructionist model given its emphasis on the situated categorization of bodily arousal (see Gendron & Barrett, 2009; MacCormack & Lindquist, in press for further discussion). Although undoubtedly important, demonstrating that random physiological changes can be attributed to the environment may not be the most ecologically valid way of demonstrating that experiences are constructed more generally. This is especially the case if most core affective states are not truly without an ultimate cause that is relevant to the organism's survival (as is a shift in arousal artificially induced by a shot of epinephrine).

Other classes of misattribution theory are also relevant to the present studies. For example, Zillmann's (1971) excitation transfer theory can be subsumed under the psychological constructionist idea that body states are made meaningful in context. Excitation transfer theory proposes that the arousal generated from one state or behavior can "transfer" to another state or behavior. However, this transfer can only occur if those states or behaviors occur when the physiological arousal induced by the antecedent state or behavior is still elevated and the individual has not returned to his or her more typical physiological baseline.

In his classic studies, Zillmann focused on how experimentally inducing higher levels of physiological arousal—be that through exposure to sexual stimuli or exercise—can facilitate more aggressive behaviors (1971, with Katcher & Milavsky, 1972). Similar to Schachter and Singer, Zillmann and colleagues also proposed that arousal is inherently ambiguous and that the causal

sources of arousal are difficult to interoceptively determine, leading individuals to rely on the most salient situational cues to guide their emotion labels and social perceptions (Zillmann et al., 1972; p. 247). In line with Zillman's theory, hunger in the present studies appears to potentiate negative high arousal affect, which in turn can translate into emotional experience as well as more general perceptions and behaviors.

Finally, Schwarz and Clore's (1983) classic mood as information findings are relevant to the present work. Their classic study found that transient external conditions (such as the weather) shifted core affective states and influenced participants' subsequent judgments of happiness and life satisfaction—but only when participants were unaware of the source of their core affect. The primary contribution of this work was that people are unaware of how core affective shifts can influence affect-based judgments in subtle, unconscious ways. Only when the source of core affect is brought to individuals' attention can these subtle influences be controlled.

Similarly, in any given moment, individuals may be unaware of hunger's impact on their feelings, perceptions, and behaviors, especially if they are consciously focused on other stimuli, such as the task at hand or the person with whom they are interacting. In these conditions of unawareness, hunger may be more likely to be conceptualized as emotions as compared to times when a person is aware of being hungry, or aware of making emotional conceptualizations about their state. The findings in Studies 1 and 2 in which individuals are unaware of hunger's influence on their judgments of the ambiguous pictographs, and in Study 3, where individuals are not focused on emotional information, all support the notion that attention and the limits of awareness play important roles in whether or not hunger impacts our emotions, judgments, and behaviors.

Finally, affect misattribution and psychological constructionist approaches to emotion join growing efforts to develop situated models of cognition (Barsalou, 2009; Loersch & Payne, 2011, 2014; Mesquita, Barrett & Smith, 2010; Semin & Smith, 2008). For instance, according to the situated inference model of cognition (Loersch & Payne, 2011, 2014), individuals make situated inferences about the meaning and cause of their feelings and thoughts based on currently accessible information in the situation—which may or may not be the true “source” of their feelings. Loersch and Payne propose that the power of stimuli to activate associated concepts (i.e., “primes”) are deeply tied to the

present situation, including what an individuals' goals are in that situation and what an individual is paying attention to in that situation.

The situated inference model is particularly relevant to the present studies' findings: simply being hungry did not alter participants' feelings and behaviors; what mattered was how hunger interacted with both the present context and what individuals attended to in that context. Loersch and Payne (2014) refer to this as the different "questions" that the situation affords: such as the "who," "what," "when," "where," and "why" of a given situation. For example, two individuals with highly similar affective states and conceptual associations in the same situation (e.g., receiving criticism) could construct different mental states if even a single aspect of the situation is altered: that is "who" is delivering the criticism (e.g., a respected colleague who likely has one's best interests at heart vs. a complete stranger who has no right to deliver such personal critiques).

Strengths and Limitations

Findings held across three different studies using two different methodologies—behavioral studies drawn from a representative online sample and a laboratory experiment. Given that all studies had ample power and the primary finding that hunger shapes emotion replicated across all studies, we can be more confident in the reliability of the effects. I also experimentally manipulated hunger vs. satiation in Study 3, allowing for preliminary causal inferences about the role of hunger in emotion conceptualization. Furthermore, these studies are novel: prior hunger research focuses on aggression and impulsivity, with less of an emphasis on the affective outcomes of hunger. As such, the present studies open up several new directions for research to better understand the mechanisms underlying phenomenon such as "hanger".

One potential limitation is that hunger was not manipulated in Studies 1 and 2. Although a large proportion of individuals were satiated (outside the laboratory, people eat when hungry, so finding hungry participants online in their day to day lives is more difficult), hunger was rated on an ordinal scale to approximate a continuous variable, allowing for greater variability. The within-subject nature of Studies 1 and 2 also increases power, enabling more consistent inference on the effects of hunger.

Another potential limitation, as noted in Study 3, is that the operationalization of regulatory

depletion as perseverance may not adequately capture the type of regulatory depletion that is induced by hunger. Future work should examine hunger's impact on self-regulation using other regulation measures. However, Study 3 provides first evidence that individuals are not feeling "hangry" simply out of depleted regulatory resources, but rather due to an interaction of hunger and situated conceptualization.

When manipulating emotion vs. nonemotional focus in Study 3, I could have instead manipulated higher order emotion-focus (have individuals write about "emotions" in general) rather than writing about specific emotions (e.g., anger vs. sadness). At first glance, this may seem like a better way to contrast the effect of focusing on emotional information vs. not. However, this kind of higher-order manipulation could be problematic because without the use of specific emotion categories, emotion can be confounded with general affect. Using anger vs. sadness or other discrete emotion labels provides individuals with a specific category to disambiguate the meaning of affect, which is vague and non-specific in nature (Kashdan, Barrett, & McKnight, 2015; Lindquist & Barrett, 2008a). As such, manipulating emotion-focus by having participants focus on specific categories may actually be a strength of the study, rather than a limitation.

One final limitation is that I did not find much evidence that hunger impacts interpersonal judgments. In Study 3, the strongest effects were for self-reported emotions. Besides finding that individuals in the Hunger x No Emotion-focused condition marginally rated experimenters as more judgmental, there were no interactions of hunger and attentional focus on the different dimensions of interpersonal judgments. This may be due to the displaced aggression paradigm used. Some participants reported feeling sorry for the experimenter during debriefing, blaming themselves for the computer crash. This may explain why there are so few interpersonal judgment findings. It might also be difficult to get participants to explicitly sanction their peers due to social norms, even though I attempted to reduce the influence of social norms by making the measures as confidential as possible.

The researcher was also likely to be a sympathetic character—another undergraduate who participants could relate to. Individuals are much more likely to de-mentalize and punish individuals who are members of a different out-group (e.g., non-UNC student, non-young person, member of a different racial or class group; Haslam, 2006). Future studies could thus make the researcher less

sympathetic by making them a member of an out-group. Future studies could also use a different paradigm that does not evoke sympathy or could more directly look at how hunger—in the context of situated conceptualization—impacts social attributions (e.g., dominance, trustworthiness; see Todorov, Olivola, Dotsch, & Mende-Siedlecki, 2015).

Conclusion

It is hard to shake the commonsense assumption that hunger and emotions are distinct biological systems. These assumptions live on in models such as the regulatory depletion hypothesis, and are an important starting point for research. However, as the present studies demonstrate, hunger is more than an instinct that automatically reduces self-control. Hunger generates affective feelings that can become conceptualized and integrated into our thoughts, emotions, and behaviors. As such, the situated conceptualization of hunger, especially when we are unaware or not focused on hunger's impact, has very real world consequences for our social and emotional lives. The fact that judges pass harsher sentences before than after lunch and that low blood sugar relates to greater strife in intimate relationships (Danzinger, Levav, & Avnaim-Pesso, 2011; Bushman et al., 2014) is motivation enough for future research.

In line with the present work, the emerging scientific picture suggests that the boundaries between body states, emotions, and cognitions are far less distinct than traditionally assumed (e.g., Oosterwijk et al., 2012). Growing research suggests that every moment of consciousness is infused with embodied representations (Craig, 2009; Damasio, 1999, 2004a; Duncan & Barrett, 2007; Kiefer & Barsalou, 2013; Russell, 2005; Seth, Suzuki, & Critchley, 2012) and that momentary fluctuations in homeostatic processes shape affect and subsequent emotional experiences.

For example, in the context of inflammation, administration of pro-inflammatory cytokines predicts increased reports of general unpleasantness (Raison et al., 2010; Reichenberg et al., 2001; Schiepers et al., 2005) and injections of pro-inflammatory bacterial endotoxin also increase negative mood (Brydon et al., 2008; Strike et al., 2004; Wright et al., 2005). Induced inflammation can also produce high arousal states (e.g., irritability, insomnia, hyperactivity) which are experienced as either positive or negative affect (Constant et al., 2005). In contrast, acetaminophen, a drug that may dampen central nervous system inflammation, reduces the self-reported intensity of positive and

negative states (Durso, Lutrell, & Way, 2015). Besides affect, growing research in social psychology and social affective neuroscience suggests that person perception, social judgments, and social comparison are shaped by present moment homeostatic processes (e.g., Akinola & Mendes, 2012, 2013; Inagaki et al., 2012; Muscatell, Devodic et al., 2016; Muscatell, Moieni et al., 2016).

Of course, it's possible that hunger's impact on emotions and behaviors is carried out by two different mechanisms: it could be both regulatory depletion and situated conceptualization. But the present studies suggest that hunger does not automatically lead to failures of self-regulation. Instead, "hanger" occurs under very specific boundary conditions: when hungry, in the right kind of situation with access to relevant concepts and when attention is directed away from internal affective states. It's promising that feeling hungry does not automatically make people more mean, irritable, or harsh. This opens up the possibility for training individuals to recognize when their body states are shaping their emotions and perceptions: simply becoming aware of internal feelings when hungry, fatigued, sick, and so on may actually help mitigate the negative social and emotional consequences of these body states.

Finally, although the present studies examined hunger's contributions to emotional experience and social judgments, these results may extend to other bodily states such as exhaustion or inflammation (see discussion in MacCormack & Lindquist, in press). Future research should pursue these questions, assessing how more basic, homeostatic bodily changes are driving changes in emotional experience and socioemotional perceptions. A research program exploring homeostatic impacts on social and emotional experience, perceptions, and behaviors would be an important step towards understanding how the body constitutes emotions and the mind more generally.

APPENDIX 1: TABLES

TABLE 1. Studies 1 and 2 descriptive comparisons

	Study 1	Study 2
Hunger		
<i>Mean (SD)</i>	2.15 (1.32)	2.34 (1.40)
<i>Skew (SE)</i>	.71 (.17)	.45 (.205)
<i>Kurtosis (SE)</i>	-.94 (.33)	-1.24 (.40)
Sleepiness		
<i>Mean (SD)</i>	1.65 (.72)	1.72 (.79)
<i>Skew (SE)</i>	1.02 (.16)	.97 (.20)
<i>Kurtosis (SE)</i>	1.33 (.32)	.98 (.40)
Thirst		
<i>Mean</i>	1.61 (.77)	1.66 (.76)
<i>Skew (SE)</i>	1.27 (.16)	1.16 (.20)
<i>Kurtosis (SE)</i>	1.29 (.32)	1.75 (.40)
Attention		
<i>Mean</i>	4.42 (.53)	4.49 (.50)
<i>Skew (SE)</i>	-.67 (.16)	-.81 (.20)
<i>Kurtosis (SE)</i>	-.32 (.32)	-.09 (.40)

TABLE 2. Study 1 models for *hunger x context* effects

	B	S.E.	<i>t</i>	95% CI Lower	95% CI Upper
Model 1					
<i>Fixed Effects</i>					
Intercept	4.051	.044	91.945***	3.964	4.138
<i>Random Effects</i>					
Residual Variance (σ^2)	2.663	.040	-	2.584	2.744
Random Intercept Variance (τ^{00})	.356	.040	-	.285	.445
Model 2					
<i>Fixed Effects</i>					
Intercept	3.866	.090	42.639***	3.687	4.044
Condition	.362	.066	5.462***	.232	.492
Hunger	-.030	.036	-.838	-.101	.040
Condition x Hunger	.064	.026	2.463*	.013	.116
<i>Random Effects</i>					
Residual Variance (σ^2)	2.597	.039	-	2.520	2.676
Random Intercept Variance (τ^{00})	.358	.040	-	.286	.447
Model 3					
<i>Fixed Effects</i>					
Intercept	4.300	.400	10.737***	3.511	5.090
Condition	.362	.066	5.459***	.232	.492
Hunger	-.038	.036	-1.042	-.110	.034
Engagement	-.094	.084	-1.113	-.261	.072
Condition x Hunger	.064	.026	2.465*	.013	.116
<i>Random Effects</i>					
Residual Variance (σ^2)	2.597	.039	-	2.520	2.676
Random Intercept Variance (τ^{00})	.357	.040	-	.286	.447

† $p < .10$. * $p < .05$. ** $p < .01$. *** $p < .001$.

TABLE 3. Study 1 models for *thirst x context* and *sleep x context* effects

	B	S.E.	<i>t</i>	95% CI Lower	95% CI Upper
Model 4					
<i>Fixed Effects</i>					
Intercept	3.866	.090	42.639***	3.687	4.044
Condition	.524	.079	6.564***	.367	.680
Thirst	-.055	.060	-.918	-.175	.063
Condition x Thirst	-.013	.044	-.302	-.100	.073
<i>Random Effects</i>					
Residual Variance (σ^2)	2.599	.039	-	2.522	2.678
Random Intercept Variance (τ^{00})	.355	.040	-	.284	.444
Model 5					
<i>Fixed Effects</i>					
Intercept	3.782	.117	32.146***	3.550	4.014
Condition	.526	.086	6.109***	.357	.695
Sleepiness	.011	.065	.861	-.117	.140
Condition x Sleepiness	-.014	.048	.756	-.109	.079
<i>Random Effects</i>					
Residual Variance (σ^2)	2.599	.039	-	2.522	2.678
Random Intercept Variance (τ^{00})	.357	.040	-	.286	.447

† $p < .10$. * $p < .05$. ** $p < .01$. *** $p < .001$.

TABLE 4. Study 2 models for *hunger x context* effects

	B	S.E.	<i>t</i>	95% CI Lower	95% CI Upper
Model 1					
<i>Fixed Effects</i>					
Intercept	3.805	.044	86.841***	3.718	3.891
<i>Random Effects</i>					
Residual Variance (σ^2)	3.139	.045	-	3.050	3.229
Random Intercept Variance (τ^{00})	.225	.032	-	.169	.298
Model 2					
<i>Fixed Effects</i>					
Intercept	3.565	.093	38.094***	3.380	3.749
NegCondition	.670	.081	8.210***	.510	.830
PosCondition	-.293	.081	-3.595***	-.453	-.133
Hunger	.048	.034	1.395	-.019	.115
NegCondition x Hunger	.064	.029	2.158*	.006	.122
PosCondition x Hunger	-.039	.029	-1.323	-.097	.019
<i>Random Effects</i>					
Residual Variance (σ^2)	2.907	.042	-	2.826	2.992
Random Intercept Variance (τ^{00})	.224	.032	-	.169	.296
Model 3					
<i>Fixed Effects</i>					
Intercept	3.582	.477	7.504***	2.638	4.526
NegCondition	.670	.082	8.210***	.510	.830
PosCondition	-.293	.082	-3.595	-.453	-.133
Hunger	.047	.035	1.360	-.021	.116
Engagement	-.004	.099	-.036	-.199	.192
NegCondition x Hunger	.064	.029	2.158*	.006	.122
PosCondition x Hunger	-.039	.029	-1.323	-.097	.019
<i>Random Effects</i>					
Residual Variance (σ^2)	2.907	.042	-	2.826	2.992
Random Intercept Variance (τ^{00})	.226	.032	-	.170	.299

† $p < .10$. * $p < .05$. ** $p < .01$. *** $p < .001$.

TABLE 5. Study 2 models for *thirst x context* and *sleep x context* effects

	B	S.E.	<i>t</i>	95% CI Lower	95% CI Upper
Model 4					
<i>Fixed Effects</i>					
Intercept	3.463	.114	30.398***	3.239	3.688
NegCondition	.790	.099	7.989***	.596	.984
PosCondition	-.043	.099	-.436	-.237	.150
Thirst	.128	.062	2.070*	.006	.249
NegCondition x Thirst	.018	.053	.345	-.086	.123
PosCondition x Thirst	-.205	.053	-3.829***	-.309	-.099
<i>Random Effects</i>					
Residual Variance (σ^2)	2.904	.042	-	2.823	2.989
Random Intercept Variance (τ^{00})	.227	.032	-	.171	.299
Model 5					
<i>Fixed Effects</i>					
Intercept	3.636	.116	31.290***	3.407	3.865
NegCondition	.777	.101	7.709***	.579	.975
PosCondition	-.566	.101	-5.615***	-.764	-.368
Sleepiness	.025	.061	.384	-.097	.144
NegCondition x Sleepiness	.025	.053	.478	-.079	.129
PosCondition x Sleepiness	.104	.053	1.965*	.001	.209
<i>Random Effects</i>					
Residual Variance (σ^2)	2.909	.042	-	2.828	2.994
Random Intercept Variance (τ^{00})	.227	.032	-	.172	.301

† $p < .10$. * $p < .05$. ** $p < .01$. *** $p < .001$.

TABLE 6: Studies 1 and 2 simple slopes tests for Model 2 with neutral as reference


Effects	Estimate (S.E.)	<i>t</i>	<i>p</i>
<i>Study 1</i>			
Intercept	4.23 (.091)	46.54	<.0001
Slope	.03 (.036)	.96	.337
<i>Study 2</i>			
Negative Context			
Intercept	4.23 (.099)	42.63	<.0001
Slope	.11 (.036)	3.09	.002
Positive Context			
Intercept	3.27 (.099)	32.93	<.0001
Slope	.01 (.036)	.23	.821

TABLE 7. Study 3 means with 95% confidence intervals

	Anger-focused (CI Lower, Upper)	Sadness-focused (CI Lower, Upper)	No Emotion-focused (CI Lower, Upper)
HA Neg Emotion			
Hunger	.497 (.292, .702)	.487 (.299, .675)	.847 (.651, 1.043)
Satiated	.556 (.429, .683)	.514 (.380, .647)	.488 (.352, .624)
Anger			
Hunger	1.636 (1.108, 2.165)	1.346 (.860, 1.832)	1.833 (1.328, 2.339)
Satiated	1.509 (1.181, 1.837)	1.423 (1.079, 1.767)	1.520 (1.170, 1.870)
Hate			
Hunger	.091 (-.136, .318)	.231 (.022, .440)	.583 (.366, .801)
Satiated	.211 (.069, .352)	.078 (-.071, .228)	.082 (-.070, .234)
Stress			
Hunger	1.045 (.607, 1.484)	.885 (.481, 1.288)	1.625 (1.205, 2.045)
Satiated	1.246 (.973, 1.518)	1.246 (.888, 1.458)	1.080 (.780, 1.371)
Overall Experimenter			
Hunger	.427 (.126, .728)	.500 (.223, .777)	.742 (.454, 1.030)
Satiated	.614 (.427, .801)	.485 (.289, .680)	.505 (.309, .701)
Experimenter is Aggressive			
Hunger	.045 (-.180, .271)	.192 (-.015, .400)	.083 (-.133, .299)
Satiated	.105 (-.035, .246)	.058 (-.089, .205)	.096 (-.051, .243)
Experimenter Lacks Empathy			
Hunger	.273 (-.278, .824)	.692 (.185, 1.199)	1.042 (.514, 1.569)
Satiated	.768 (.422, 1.113)	.596 (.238, .955)	.800 (.434, 1.166)
Experimenter is Judgmental			
Hunger	.045 (-.234, .325)	.154 (-.103, .411)	.625 (.357, .893)
Satiated	.070 (-.104, .244)	.173 (-.009, .355)	.173 (-.009, .355)

APPENDIX 2: FIGURES

FIGURE 1. Conceptual model of a psychological constructionist theory of emotion



Core affect is likely generated when afferent information from peripheral body representations (e.g., autonomic nervous system changes, changes in the visceral organs, neuroendocrine and immune system shifts) are received, monitored, and re-represented in the central nervous system (*including but not limited to* the insula, anterior cingulate cortex, orbitofrontal cortex, and amygdala). Psychological constructionist views of emotion posit that an emotional experience emerges from the situated interaction between exteroceptive sensations, core affect, conceptual knowledge, and executive functions. This integrative process that generates an emotional experience is called *situated conceptualization*.

FIGURE 2: Study 1 *hunger x context* interaction




FIGURE 3. Study 2 *hunger x context* interactions




FIGURE 4. Study 3 mean differences for time spent on the self-regulation task




FIGURE 5. Study 3 mean differences for negative, high arousal emotions




FIGURE 6. Study 3 mean differences for hate




FIGURE 7. Study 3 mean differences for stress





FIGURE 8. Study 3 mean differences for experimenter as judgmental



REFERENCES

- Abelson, R.P., & Prentice, D.A. (1997). Contrast tests of interaction hypotheses. *Psychological Methods*, 2, 315-328.
- Akinola, M. & Mendes, W.B. (2012). Stress-induced cortisol facilitates threat-related decision making among police officers. *Behavioral Neuroscience*, 126, 167-174.
- Akinola, M. & Mendes, W.B. (2013). It's good to be the king: Neurobiological benefits of higher social standing. *Social Psychological and Personality Science*, 5, 1-9.
- Anand, B.K., & Brobeck, J.R. (1951). Hypothalamic control of food intake in rats and cats. *Yale Journal of Biological Medicine*, 24, 123-140.
- Anderberg, R.H., Hansson, C., Fenander, M., Richard, J.E., Dickson, S. L., Nissbrandt, H., Bergquist, F., & Skibicka, K.P. (2015). The stomach-derived hormone ghrelin increases impulsive behavior. *Neuropsychopharmacology*, 41, 1199. doi:10.1038/npp.2015.297
- Andrew, R.J. (1956). Influences of hunger on aggressive behavior in certain buntings of the genus *Emberiza*. *Physiological Zoology*, 30, 177-185.
- Arnold, M.B. (1960). *Emotion and personality*. New York, NY: Columbia University Press.
- Aunger, R., & Curtis, V. (2013). The anatomy of motivation: An evolutionary-ecological approach. *Biological Theory*, 8, 49-63.
- Barrett, L.F. (2006). Solving the emotion paradox: Categorization and the experience of emotion. *Personality and Social Psychology Review*, 10, 20-46.
- Barrett, L.F. (2009). The future of psychology: Connecting mind to brain. *Perspectives on Psychological Science*, 4, 326–339.
- Barrett, L.F. (2015). Ten common misconceptions about the psychological construction of emotion. Chapter in L. F. Barrett and J. A. Russell (Eds.) *The psychological construction of emotion* (p. 45-79). New York: Guilford.
- Barrett, L.F. (in press). What is an emotion? In Fox, A. S., Lapate, R. C., Shackman, A. J. & Davidson, R. J. (Eds.), *The nature of emotion: Fundamental questions* (2nd edition). Oxford University Press.
- Barrett, L.F., & Bar, M. (2009). See it with feeling: Affective predictions in the human brain. *Royal Society Phil Trans B*, 364, 1325-1334.
- Barrett, L.F., & Bliss-Moreau, E. (2009). Affect as a psychological primitive. *Advances in Experimental Social Psychology*, 41, 167-218.
- Barrett, L.F., Ochsner, K.N., & Gross, J.J. (2007). On the automaticity of emotion. Chapter in J. Bargh (Ed.), *Social psychology and the unconscious: The automaticity of higher mental processes*. New York: Psychology Press.
- Barrett, L.F., & Russell, J.A. (1998). Independence and bipolarity in the structure of current affect. *Journal of Personality and Social Psychology*, 74, 967-984.
- Barrett, L.F., & Russell, J.A. (2015). An introduction to psychological construction. In L.F. Barrett and J.A. Russell (Eds.), *The psychological construction of emotion* (pp. 1-17). New York: Guilford.

- Barrett, L.F. & Simmons, W.K. (2015). Interoceptive predictions in the brain. *Nature Reviews Neuroscience*, 16, 419-429.
- Barrett, L.F., Wilson-Mendenhall, C.D., & Barsalou, L.W. (2015). The conceptual act theory: a road map. Chapter in L. F. Barrett and J. A. Russell (Eds.), *The psychological construction of emotion* (pp. 83-110). New York: Guilford.
- Barsalou, L.W. (2009). Simulation, situated conceptualization, and prediction. *Philosophical Transactions of the Royal Society of London. Series B, Biological Sciences*, 364, 1281–1289. doi:10.1098/rstb.2008.0319
- Barsalou, L.W. (2016). Situated conceptualization offers a theoretical account of social priming. *Current Opinion in Psychology*, 12, 6-11.
- Batra, P., Das, S.K., Salinardi, T., Robinson, L., Saltzman, E., Scott, T., Pittas, A.G., & Roberts, S.B. (2013). Eating behaviors as predictors of weight loss in a 6 month weight loss intervention. *Obesity*, 21, 2256-2263.
- Baumeister, R.F. (2003). Ego depletion and self-regulation failure: A resource model of self-control. *Alcoholism: Clinical and Experimental Research*, 27, 1-4.
- Baumeister, R.F. (2014). Self-regulation, ego depletion, and inhibition. *Neuropsychologia*, 65, 313-319.
- Baynes, J.W., & Dominiczak, M.H. (2014). *Medical Biochemistry (4th edition)*. Cambridge, MA: Saunders.
- Benton, D. (1988). Hypoglycaemia and aggression: A review. *International Journal of Neuroscience*, 41, 163-168.
- Benton, D. (2002). Carbohydrate ingestion, blood glucose, & mood. *Neuroscience and Biobehavioral Reviews*, 26, 293-308.
- Benton, D., & Owens, D.S. (1993). Is raised blood glucose associated with the relief of tension. *Journal of psychosomatic research*, 37, 723-735.
- Benton, D., Kumari, N., & Brain, P.F. (1998). Mild hypoglycaemia and questionnaire measures of aggression. *Biological Psychology*, 14, 129-135.
- Benton, D., Brett, V., & Brain, P.F. (1987). Glucose improves attention and reaction to frustration in children. *Biological Psychology*, 24, 95-100.
- Bernstein, D. (2015). *Psychology: Foundations and frontiers*. Boston, MA: Cengage.
- Blundell, J., De Graaf, C., Hulshof, T., Jebb, S., Livingstone, B., Lluch, A., Mela, D., Salah, S., Schuring, E., Van Der Knapp, H., & Westerterp, M. (2010). Appetite control: Methodological aspects of the evaluation of food. *Obesity Reviews*, 11, 251-270.
- Borghi, A.M., & Binkofski, F. (2014). *Words as social tools: An embodied view on abstract concepts*. New York: Springer.
- Brooks, J.A., Shablack, H., Gendron, M., Satpute, A.B., Parrish, M.H., & Lindquist, K.A. (2016). The role of language in the experience and perception of emotion: A neuroimagine meta-analysis. *Social Cognitive and Affective Neuroscience*.
- Brydon, L., Harrison, N.A., Walker, C., Steptoe, A., & Critchley, H.D. (2008). Peripheral inflammation is associated with altered substantia nigra activity and psychomotor slowing in humans. *Biological Psychiatry*, 63, 1022–1029.

- Bushman, B.J., & Baumeister, R.F. (1998). Threatened egotism, narcissism, self-esteem, and direct and displaced aggression: Does self-love or self-hate lead to violence? *Journal of Personality and Social Psychology*, 75, 219-229. doi: 10.1037/0022-3514.75.1.219
- Bushman, B.J., DeWall, C.N., Pond Jr., R.S., & Hanus, M.D. (2014). Low glucose relates to greater aggression in married couples. *Proceedings of the National Academy of Sciences, U.S.A.*, 111, 6254-6257.
- Cabanac, M. (2002). What is emotion? *Behavioural Processes*, 60, 69–83.
- Cacioppo, J.T., Berntson, C.G., Larsen, J.T., Poehlmann, K.M., & Ito, T.A. (2000). The psychophysiology of emotion. In M. Lewis & J. M. Haviland-Jones (Eds.), *Handbook of emotions* (2nd ed., pp. 173–191). New York, NY: Guilford.
- Carey, S. (2011). Précis of “The Origin of Concepts.” *Behavioral & Brain Sciences*, 34, 113–124.
- Carlson, A.J. (1931). Hunger, *The Scientific Monthly*, 33, 77-79.
- Carlson, B.E., Newman, J.C., & Langkilde, T. (2015). Food or fear: Hunger modifies responses to alarm cues in tadpoles. *Hydrobiologia*, 743, 299-308 doi:10.1007/s10750-014-2048-5.
- Carter, E.C., Kofler, L.M., Forster, D.E., & McCullough, M.E. (2015). A series of meta-analytic tests of the depletion effect: Self-control does not seem to rely on a limited resource. *Journal of Experimental Psychology: General*, 144, 796-815.
- Carter, E.C., & McCullough, M.E. (2014). Publication bias and the limited strength model of self-control: Has the evidence for ego depletion been overestimated? *Frontiers in Psychology*, 5, 823.
- Chanes, L., & Barrett, L.F. (2016). Redefining the role of limbic areas in cortical processing. *Trends in Cognitive Sciences*, 20, 96-106.
- Charnov, E.L. (1976). Optimal foraging: The marginal value theorem. *Theoretical Population Biology*, 9, 129-136.
- Christensen, N.J., Alberti, K.G., & Brandsborg, O. (1975). Plasma catecholamines and blood substrate concentrations: Studies in insulin induced hypoglycaemia and after adrenaline infusions. *European Journal of Clinical Investigations*, 5, 415-423.
- Clark, A. (2013). Whatever next? Predictive brains, situated agents, and the future of cognitive science. *Behavioral & Brain Sciences*, 36, 181–204.
- Clarkson, J.J., Hirt, E.R., Jia, L., & Alexander, M.B. (2010). When perception is more than reality: The effects of perceived vs. actual resource depletion on self-regulatory behavior. *Journal of Personality and Social Psychology*, 98, 29-46.
- Clore, G.L., & Ortony, A. (2013). Psychological construction in the OCC model of emotion. *Emotion Review*, 5, 335-343.
- Clore, G.L., Wyer, R.S., Dienes, B., Gasper, K., Gohm, C., & Isbell, L. (2001). Affective feelings as feedback: Some cognitive consequences. In L.L. Martin & G.L. Clore (Eds.), *Theories of mood and cognition: A user's handbook* (pp. 27-62). Mahwah, NJ: Erlbaum.
- Coker, R.H., & Kjaer, M. (2005). Glucoregulation during exercise: The role of the neuroendocrine system. *Sports Medicine*, 35, 575-583.

- Corrall, R.J., Frier, B.M., Davidson, N.M., Hopkins, W.M., & French, E.B. (1983). Cholinergic manifestations of the acute autonomic reaction to hypoglycaemia in man. *Clinical Science*, 64, 49-53.
- Craig, A.D. (2009). How do you feel—now? The anterior insula and human awareness. *Nature Reviews Neuroscience*, 10, 59-70.
- Critchley, H.D., & Nagai, Y. (2012). How emotions are shaped by bodily states. *Emotion Review*, 4, 163-168.
- Cryan, J.F., & Dinan, T.G. (2012). Mind-altering microorganisms: The impact of the gut microbiota on brain and behavior. *Nature Reviews Neuroscience*, 13, 701-712.
- Cryer, P.E. (1999). Symptoms of hypoglycemia, thresholds for their occurrence, and hypoglycemia unawareness. *Endocrinology Metabolism Clinics of North America*, 28, 495-500.
- Cummings, D.E., Purnell, J.Q., Frayo, R.S., Schmidova, K., Wisse, B.E., & Weigle, D.S. (2001). A preprandial rise in plasma ghrelin levels suggests a role in meal initiation in humans. *Diabetes*, 50, 1714-1719.
- Cunningham, W.A., Dunfeld, K.A., & Stillman, P. (2013). Emotional states from affective dynamics. *Emotion Review*, 5, 344-355.
- Dagher, A. (2009). The neurobiology of appetite: Hunger as addiction. *International Journal of Obesity*, 33, S30-S33.
- Damasio, A.R. (1999). *The feeling of what happens: Body and emotion in the making of consciousness*. Harcourt, New York.
- Damasio, A.R. (2004). Emotions and feelings: a neurobiological perspective. In: A.S.R. Manstead, N. Frijda, & A. Fischer (Eds.), *Feelings and emotions: the Amsterdam symposium* (pp. 49-57). Cambridge, UK: Cambridge University Press.
- Damsgird, B., & Dill, L.M. (1998). Risk-taking behavior in weight-compensating coho salmon, *Oncorhynchus kisutch*. *Behavioral Ecology*, 9, 26–32.
- Danziger, S., Levav, J., & Avnaim-Pesso, L. (2011). Extraneous factors in judicial decisions. *Proceedings of the National Academy of Sciences of the United States of America*, 108, 6889-6892. doi: 10.1073/pnas.1018033108.
- Date, Y., Kojima, M., Hosoda, H., Sawaguchi, A., Mondal, M.S., Suganuma, T., Matsukura, S., Kangawa, K., & Nakazato, M. (2000). Ghrelin, a novel growth hormone-releasing acylated peptide, is synthesized in a distinct endocrine cell type in the gastrointestinal tracts of rats and humans. *Endocrinology*, 141, 4255-4261.
- de Castro, J.M., & Elmore, D.K. (1988). Subjective hunger relationships with meal patterns in the spontaneous feeding behavior of humans: Evidence for a causal connection. *Physiology and Behavior*, 43, 159-165.
- de Ridder, D., Kroese, F., Adriaanse, M., & Evers, C. (2014). Always gamble on an empty stomach: Hunger is associated with advantageous decision making. *PLoS ONE*, 9, e111081. doi:10.1371/journal.pone.0111081
- Deary, I.J., Hepburn, D.A., MacLeod, K.M., & Frier, B.M. (1993). Partitioning the symptoms of hypoglycaemia using multi-sample confirmatory factor analysis. *Diabetologia*, 36, 771-777.

- Del Parigi, A., Chen, K., Gautier, J.-F., Salbe, A. D., Pratley, R.E., Ravussin, E., Reiman, E.M., & Tataranni, P.A. (2002). Sex differences in the human brain's response to hunger and satiation. *American Journal of Clinical Nutrition*, 75, 1017-1022.
- Denson, T.F., Pedersen, W.C., Friese, M., Hahm, A., & Roberts, L. (2011). Understanding impulsive aggression: Angry rumination and reduced self-control capacity are mechanisms underlying the provocation-aggression relationship. *Personality and Social Psychology Bulletin*, 37, 850-862.
- DeWall, C.N., Baumeister, R.F., Chester, D.S., & Bushman, B.J. (2016). How often does currently felt emotion predict social behavior and judgment? A meta-analytic test of two theories. *Emotion Review*, 8, 136-143.
- DeWall, C.N., Deckman, T., Gailliot, M.T., & Bushman, B.J. (2011). Sweetened blood cools hot tempers: Physiological self-control and aggression. *Aggressive Behaviors*, 37, 73-80.
- DeWall, C.N., Pond, R.S., & Bushman, B.J. (2010). Sweet revenge: Diabetic symptoms predict less forgiveness. *Personality and Individual Differences*, 49, 823-826.
- Donohoe, R.T., & Benton, D. (1999). Blood glucose control and aggressiveness in females. *Personality and Individual Differences*, 26, 905-911.
- Drazen, D.L., & Woods, S.C. (2003). Peripheral signals in the control of satiety and hunger. *Current Opinion in Clinical Nutrition & Metabolic Care*, 6, 621-629.
- Duffy, E. (1957). The psychological significance of the concept of arousal or activation. *Psychological Review*, 64, 265-275.
- Duncan, S., & Barrett, L.F. (2007). Affect is a form of cognition: A neurobiological analysis. *Cognition & Emotion*, 21, 1184-1211.
- Durso, G.R.O., Luttrell, A., & Way, B. (2015). Over-the-counter relief from pains and pleasures alike: Acetaminophen blunts evaluation sensitivity to both negative and positive emotional stimuli. *Psychological Science*, 26, 750-758.
- Dutton, D.G., & Aron, A.P. (1974). Some evidence for heightened sexual attraction under conditions of high anxiety. *Journal of Personality and Social Psychology*, 30, 510-517.
- Dvorak, R.D., & Simons, J.S. (2009). Moderation of resource depletion in the self-control strength model: Differing effects of two modes of self-control. *Personality and Social Psychology Bulletin*, 35, 572-583.
- Ekman, P., & Cordaro, D. (2011). What is meant by calling emotions basic. *Emotion Review*, 3, 364-370.
- Emecheta, B. (1979/1994). *The joys of motherhood*. Johannesburg, South Africa: Heinemann Publishers.
- Fairclough, S.H., & Houston, K. (2004). A metabolic measure of mental effort. *Biological Psychology*, 66, 177-190.
- Fredrickson, B.L., Tugade, M.M., Waugh, C.E., & Larkin, G. (2003). What good are positive emotions in crises? A prospective study of resilience and emotions following the terrorist attacks on the United States on September 11th, 2001. *Journal of Personality and Social Psychology*, 84, 365-376.
- Friedman, M.I., Ulrich, P., & Mattes, R.D. (1999). A figurative measure of subjective hunger sensations. *Appetite*, 32, 395-404.

- Gailliot, M.T., & Baumeister, R.F. (2007). The physiology of willpower: Linking blood glucose to self-control. *Personality and Social Psychology Review*, 11, 303-327.
- Gailliot, M.T., Baumeister, R.F., DeWall, C.N., Maner, J.K., Plant, E.A., Tice, D.M., Brewer, L.E., & Schmeichel, B.J. (2007). Self-control relies on glucose as a limited energy source: Willpower is more than a metaphor. *Journal of Personality and Social Psychology*, 92, 325-336.
- Gailliot, M.T., Peruche, B.M., Plant, E.A., & Baumeister, R.F. (2009). Stereotypes and prejudice in the blood: Sucrose drinks reduce prejudice and stereotyping. *Journal of Experimental Social Psychology*, 45, 288-290.
- Gautier, J.F., Chen, K., Salbe, A.D., Bandy, D., Pratley, R.E., Heiman, M., Ravussin, E., Reiman, E.M., & Tataranni, P.A. (2000). Differential brain responses to satiation in obese and lean men. *Diabetes*, 49, 838-846.
- Gautier, J.F., Del Parigi, A., Chen, K., Salbe, A.D., Bandy, D., Pratley, R.E., Ravussin, E., Reiman, E.M., & Tataranni, P.A. (2001). Effect of satiation on brain activity in obese and lean women. *Obesity Research*, 9, 676-684. doi: 10.1038/oby.2001.92
- Gendron, M., & Barrett, L F. (2009). Reconstructing the past: A century of ideas about emotion in psychology. *Emotion Review*, 1, 1-24.
- Gentsch, A., & Synofzik, M. (2014). Affective coding: The emotional dimension of agency. *Frontiers in Human Neuroscience*, 8, 608. doi: 10.3389/fnhum.2014.00608
- Gnanapavan, S., Kola, B., Bustin, S.A., Morris, D.G., McGee, P., Fairclough, P., Bhattacharya, S., Carpenter, R., Grossman, A.B., & Korbonits, M. (2002). The tissue distribution of the mRNA of ghrelin and subtypes of its receptor, GHS-R, in humans. *The Journal of Clinical Endocrinology and Metabolism*, 87, 2988-2991.
- Godin, J.J., & Crossman, S.L. (1994). Hunger-dependent predator inspection and foraging behaviours in the threespine stickleback (*Gasterosteus aculeatus*) under predation risk. *Behavioral Ecology and Sociobiology*, 34, 359-366. doi:10.1007/BF00197006
- Hackel, L.M., Larson, G.M., Bowen, J.D., Ehrlich, G.A., Mann, T.C., Middlewood, B., Roberts, I.D., Eylink, J., Fetterolf, J.C., Gonzalez, F., Garrido, C.O., Kim, J., O'Brien, T., O'Malley, E.E., Mesquita, B., & Barrett, L.F. (in press). On the neural implausibility of the modular mind: Evidence for distributed construction dissolves boundaries between perception, cognition, and emotion. *Behavioral and Brain Sciences*.
- Hall, J.B., & Brown, D.A. (1979). Plasma glucose and lactic acid alterations in response to a stressful exam. *Biological Psychology*, 8, 179 -188.
- Hangry. (2015). In *Oxford Dictionaries*. Retrieved February 1, 2016 from http://www.oxforddictionaries.com/us/definition/american_english/hangry
- Haslam, N. (2006). Dehumanization: An integrative review. *Personality and Social Psychology Review*, 10, 252-264.
- Heller, S.R., Macdonald, L.A., Herbert, M., & Tattersall, R.B. (1987). Influence of the sympathetic nervous system on hypoglycaemic warning symptoms. *Lancet*, 11, 359-363.
- Hepburn, D.A., Deary, I.J., & Frier, B.M. (1992). Classification of symptoms of hypoglycaemia in insulin-treated diabetic patients using factor analysis: Relationship to hypoglycaemia unawareness. *Diabetic Medicine*, 9, 70-75.

- Hepburn, D.A., Deary, I.J., Munoz, M., & Frier, B.M. (1994). Physiological manipulations of psychometric mood factors using acute insulin-induced hypoglycemia in humans. *Personality and Individual Differences*, 18, 385-391.
- Herman, C.P., Polivy, J., Lank, C.N., & Heatherton, T.F. (1987). Anxiety, hunger, and eating behavior. *Journal of Abnormal Psychology*, 96, 264-269. doi: 10.1037/0021-843X.96.3.264
- Hermanns, N., Kubiak, T., Kulzer, B., & Haak, T. (2003). Emotional changes during experimentally-induced hypoglycaemia in type 1 diabetes. *Biological Psychology*, 63, 15-44.
- Hermanns, N., Scheff, C., Kulzer, B., Weyers, P., Pauli, P., Kubiak, T., & Haak, T. (2007). Association of glucose levels and glucose variability with mood in type 1 diabetic patients. *Diabetologia*, 50, 930-933.
- Hetherington, A.W., & Ransom, S.W. (1940). Hypothalamic lesions and adiposity in the rat. *The Anatomical Record*, 78, 149-172.
- Hoebel, B.G., & Teitelbaum, P. (1962). Hypothalamic control of feeding and self-stimulation. *Science*, 135, 375-377.
- Inagaki, T.K., Muscatell, K.A., Irwin, M.R., Cole, S.W., & Eisenberger, N.I. (2012). Inflammation selectively enhances amygdala activity to socially threatening images. *Neuroimage*, 59, 3222-3226.
- Iglesias, S., Mathys, C., Brodersen, K.H., Kasper, L., Piccirelli, M., den Ouden, H.E., & Stephan, K.E. (2013). Hierarchical prediction errors in midbrain and basal forebrain during sensory learning. *Neuron*, 16, 519-530. doi: 10.1016/j.neuron.2013.09.009
- Inzlicht, M., Schmeichel, B.J., & Macrae, C.N. (2014). Why self-control seems (but may not be) limited. *Trends in Cognitive Science*, 18, 127-133.
- Job, V., Dweck, C.S., & Walton, G.M. (2010). Ego depletion—is it all in your head? Implicit theories about willpower affect self-regulation. *Psychological Science*, 21, 1686-1693.
- Job, V., Walton, G.M., Bernecker, K., & Dweck, C.S. (2013). Beliefs about willpower determine the impact of glucose on self-control. *Proceedings from the National Academy of Sciences*, 110, 14837-14842.
- Kashdan, T.B., Barrett, L.F., & McKnight, P.E. (2015). Unpacking emotion differentiation: Transforming unpleasant experience by perceiving distinctions in negativity. *Current Directions in Psychological Science*, 24, 10-16.
- Kiefer, M., & Barsalou, L.W. (2013). Grounding the human conceptual system in perception, action, and internal states. In W. Prinz, M. Beisert, & A. Herwig (Eds.), *Action science: Foundations of an emerging discipline* (pp. 381-407). Cambridge, MA: MIT Press.
- Killgore, W.D.S., & Yurgelun-Todd, D.A. (2005). Body mass predicts orbitofrontal activity during visual presentation of high-calorie foods. *Neuroreport*, 16, 859-863.
- Killgore, W.D.S., & Yurgelun-Todd, D.A. (2006). Affect modulates appetite-related brain activity to images of food. *International Journal of Eating Disorders*, 39, 357-363.
- Kim, M.S., Yoon, C.Y., Park, K.H., Shin, C.S., Park, K.S., Kim, S.Y., Cho, B.Y., & Lee, H.K. (2003). Changes in ghrelin and ghrelin receptor expression according to feeding status. *Neuroreport*, 14, 1317-1320.

- Kober, H., Barrett, L.F., Joseph, J., Bliss-Moreau, E., Lindquist, K.A., & Wager, T.D. (2008). Functional networks and cortical-subcortical interactions in emotion: A meta-analysis of neuroimaging studies. *Neuroimage*, 42, 998-1031.
- Kojima, M., Hosoda, H., Date, Y., Nakazato, M., Matsuo, H., & Kangawa, K. (1999) Ghrelin is a growth-hormone-releasing acylated peptide from stomach. *Nature*, 402, 656–60.
- Kurzban, R. (2010). Does the brain consume additional glucose during self-control tasks? *Evolutionary Psychology*, 8, 244-259.
- Lambie, J.A., & Marcel, A.J. (2002). Consciousness and the varieties of emotion experience: A theoretical framework. *Psychological Review*, 109, 219-259.
- Lang, P.J., Bradley, M.M., and Cuthbert, B.N. (1997). International affective picture system (IAPS): Technical manual and affective ratings.
- Larsen, R. J., & Diener, E. (1992). Promises and problems with the circumplex model of emotion. In Clark, M.S. (Ed.) *Emotion* (pp. 25-59), Thousand Oaks, CA: Sage Publications.
- Lazarus, R.S. (1966). *Psychological stress and the coping process*. New York: McGraw-Hill.
- Lee, K., Lindquist, K.A., & Payne, B. K. (undereview). Constructing bias: Conceptualization breaks the link between implicit bias and fear of Black Americans.
- Leibowitz, S.F., & Wortley, K.E. (2004). Hypothalamic control of energy balance: Different peptides, different functions. *Peptides*, 25, 473-504. doi:10.1016/j.peptides.2004.02.006
- Lieberman, M.D., Eisenberger, N.I., Crockett, M.J., Tom, S., Pfeifer, J.H., & Way, B.M. (2007). Putting feelings into words: Affect labeling disrupts amygdala activity to affective stimuli. *Psychological Science*, 18, 421-428.
- Lieberman, M.D. (2011). Why symbolic processing of affect can disrupt negative affect: Social cognitive and affective neuroscience investigations. To appear in A. Todorov, S.T. Fiske, & D. Prentice (Eds.) *Social Neuroscience: Toward understanding the underpinnings of the social mind* (pp. 188-209). New York: Oxford University Press.
- Lieberman, M.D., Inagaki, T.K., Tabibnia, G., & Crockett, M.J. (2011). Subjective responses to emotional stimuli during labeling, reappraisal, and distraction. *Emotion*, 3, 468-480.
- Lindquist, K.A. (2013). Emotions emerge from more basic psychological ingredients: A modern psychological constructionist approach. *Emotion Review*, 5, 356-368.
- Lindquist, K.A., & Barrett, L.F. (2008a). Emotional complexity. In M. Lewis, J.M. Haviland-Jones, & L.F. Barrett (Eds.), *Handbook of Emotions* (3rd ed.), New York: Guilford.
- Lindquist, K.A., & Barrett, L.F. (2008b). Constructing emotion: The experience of fear as a conceptual act. *Psychological Science*, 19, 898-903.
- Lindquist, K.A., & Barrett, L.F. (2012). A functional architecture of the human brain: Emerging insights from the science of emotion. *Trends in Cognitive Sciences*, 16, 533-540.
- Lindquist, K.A., MacCormack, J.K., & Shablack, H. (2015). The role of language in emotion: Predictions from psychological constructionism. *Frontiers in Psychology*, 6, 444.
- Lindquist, K.A., Satpute, A.B., Wager, T.D., Weber, J., & Barrett, L.F. (2016). The brain basis of positive and negative affect: Evidence from a meta-analysis of the human neuroimaging literature. *Cerebral Cortex*.

- Lindquist, K.A., Wager, T.D., Kober, H., Bliss-Moreau, E., & Barrett, L.F. (2012). The brain basis of emotion: A meta-analytic review. *Behavioral and Brain Sciences*, 35, 121-143.
- Loersch, C., & Payne, B.K. (2011). The situated inference model: An integrative account of the effects of primes on perception, behavior, and motivation. *Perspectives on Psychological Science*, 6, 234-252.
- Loersch, C., & Payne, B.K. (2014). Situated inference and the what, who, and where of priming. *Social Cognition*, 32, 137-151.
- Loewenstein, G. (1996). Out of control: Visceral influences on behavior. *Organizational Behavior and Human Decision Processes*, 65, 272-292.
- Loewenstein, G. (2000). Emotions in economic theory and economic behavior. *Preferences, Behavior, and Welfare*, 90, 426-432.
- Luna, R.A., & Foster, J.A. (2015). Gut-brain axis: Diet microbiota interactions and implications for modulation of anxiety and depression. *Current Opinion in Biotechnology*, 32, 35-41.
- Lyubomirsky, S., King, L., & Diener, E. (2005). The benefits of frequent positive affect: Does happiness lead to success? *Psychological Bulletin*, 131, 803-855.
- MacCormack, J.K., & Lindquist, K.A. (in press). The constitutive role of the body in emotion: Schachter's legacy for a psychological constructionist view on emotion. *Emotion Review*.
- Mangiola, F., Ianiro, G., Franceschi, F., Fagiuoli, S., Gasbarrini, G., & Gassbarrini, A. (2016). Gut microbiota in autism and mood disorders. *World Journal of Gastroenterology*, 22, 361-368.
- Marks, V., & Rose, F.G. (1981). *Hypoglycaemia* (2nd edition). Oxford: Blackwell Scientific Publications.
- Mauss, I.B., & Robinson, M.D. (2009). Measures of emotion: A review. *Cognition & Emotion*, 23, 209-237.
- McEwen, B.S., & Wingfield, J.C. (2007). Allostasis and allostatic load. In: Fink, G. (Ed.) *Encyclopedia of Stress* (pp. 135-141). New York, NY: Academic Press.
- McEwen, B.S., & Wingfield, J.C. (2010). What's in a name? Integrating homeostasis, allostasis, and stress. *Hormones and Behavior*, 57, 105-111.
- McKenna, R.J. (1972). Some effects of anxiety level and food cues on the eating behavior of obese and normal subjects: A comparison of the Schacterian and psychosomatic conceptions. *Journal of Personality and Social Psychology*, 22, 311-319.
- Mesquita, B., Barrett, L.F., & Smith, E. (Eds.) (2010). *The mind in context*. New York: Guilford.
- Miles, E., Sheeran, P., Baird, H., Macdonald, I., Webb, T.L., & Harris, P.R. (2016). Does self-control improve with practice? Evidence from a six-week training program. *Journal of Experimental Psychology: General*, 145, 1075-91.
- Miller, N.E. (1957). Experiments on motivation. *Science*, 126, 1271-1278.
- Molden, D.C., Hui, C.M., Scholer, A.A., Meier, B.P., Noreen, E.E., D'Agostino, P.R., Martin, V. (2012). Motivational vs. metabolic effects of carbohydrates on self-control. *Psychological Science*, 23, 1137-1144.
- Muraven, M.R., & Baumeister, R.F. (2000). Self-regulation and depletion of limited resources: Does self-control resemble a muscle? *Psychological Bulletin*, 126, 247-259.

- Muscatell, K.A., Devodic, K., Slavich, G.M., Jarcho, M.R., Breen, E.C., Bower, J.E., Irwin, M.R., & Eisenberger, N.I. (2016). Neural mechanisms linking social status and inflammatory responses to social stress. *Social Cognitive and Affective Neuroscience*, 11, 915-922.
- Muscatell, K.A., Moieni, M., Inagaki, T.K., Dutcher, J.M., Jevtic, I., Breen, E.C., Irwin, M.R., & Eisenberger, N.I. (2016). *Brain, Behavior, and Immunity*, 57, 21-29.
- Myers, D.G., & DeWall, C.N. (2015). *Psychology* (11th ed.). London, UK: Worth Publishers.
- Myers, R.D., & McCaleb, M.L. (1980). Feeding: Satiety signal from intestine triggers brain's noradrenergic mechanism. *Science*, 209, 1035-1037.
- Nairne, J.S. (2014). *Psychology* (6th ed.). Belmont, CA: Thomson Higher Education.
- Nauta, W.J.H. (1971). The problem of the frontal lobe: A reinterpretation. *Journal of Psychiatric Research*, 8, 167-187.
- Nederkoorn, C., Guerrieri, R., Havermans, R.C., Roefs, A., & Jansen, A. (2009). The interactive effect of hunger and impulsivity on food intake and purchase in a virtual supermarket. *International Journal of Obesity*, 33, 905-912.
- Niven, K., Toddell, P., Miles, E., Webb, T.L., & Sheeran, P. (2013). Achieving the same for less: Improving mood depletes blood glucose for people with poor (but not good) emotion control. *Cognition and Emotion*, 27, 133-140.
- Oaksford, M., & Chater, N. (2009). Précis of bayesian rationality: the probabilistic approach to human reasoning. *Behavioral & Brain Sciences*, 32, 69-84.
- Oosterwijk, S., Rotteveel, M., Fischer, A.H., & Hess, U. (2009). Embodied emotion concepts: How generating words about pride and disappointment influences posture. *European Journal of Social Psychology*, 39, 457-466.
- Panksepp, J. (1998) *Affective neuroscience: The foundations of human and animal emotions*. Oxford University Press.
- Pardal, R., & Lopez-Barneo, J. (2002). Low glucose-sensing cells in the carotid body. *Nature Neuroscience*, 5, 197-198.
- Payne, B.K., Cheng, C.M., Govorun, O., & Stewart, B. (2005). An inkblot for attitudes: Affect misattribution as implicit measurement. *Journal of Personality and Social Psychology*, 89, 277-293.
- Payne, B.K., Hall, D., Cameron, C.D., & Bishara, A.J. (2010). A process model of affect misattribution. *Personality and Social Psychological Bulletin*, 36, 1397-1408.
- Pennebaker, J.W. (1997). Writing about emotional experiences as a therapeutic process. *Psychological Science*, 8, 162-166.
- Pennebaker, J.W. & Beall, S.K. (1986). Confronting a traumatic event: Toward an understanding of inhibition and disease. *Journal of Abnormal Psychology*, 95, 274-281.
- Pennebaker, J.W., Booth, R.J., & Francis, M.E. (2015). *Linguistic Inquiry and Word Count: LIWC 2015*. Austin, TX: LIWC.
- Peters, A., Schweiger, U., Pellerin, L., Hubold, C., Oltmanns, K.M., Conrad, M., Schultes, B., Born, J., & Fehm, H.L. (2004). The selfish brain: Competition for energy resources. *Neuroscience and Biobehavioral Reviews*, 28, 143-180.

- Plata-Salaman, C.R. (1991). Regulation of hunger and satiety in man. *Digestive Diseases*, 9, 253-268.
- Pond, R.S., Kashdan, T.B., DeWall, C.N., Savostyanova, A., Lambert, N.M., & Fincham, F.D. (2011). Emotion differentiation moderates aggressive tendencies in angry people: A daily diary analysis. *Emotion*, 12, 326-337.
- Porubska, K., Veit, R., Preissl, H., Fritsche, A., & Birbaumer, N. (2006). Subjective feeling of appetite modulates brain activity: An fMRI study. *Neuroimage*, 32, 1273-1280.
- Raison, C.L., Borisov, A.S., Woolwine, B.J., Massung, B., Vogt, G., & Miller, A.H. (2010). Interferon-alpha effects on diurnal hypothalamic-pituitary-adrenal axis activity: Relationship with proinflammatory cytokines and behavior. *Molecular Psychiatry*, 15, 535-547.
- Raudenbush, S.W., & Bryk, A.S. (2001). *Hierarchical linear models: Applications and data analysis methods* (2nd ed.). Thousand Oaks, CA: Sage Publications.
- Read, D., & van Leeuwen, B. (1998). Predicting hunger: The effects of appetite and delay on choice. *Organizational Behavior and Human Decision Processes*, 76, 189-205.
- Reeve, J. (2015). *Understanding motivation and emotion* (6th edition). Hoboken, NJ: John Wiley & Sons.
- Reichenberg, A., Yirmiya, R., Schuld, A., Kraus, T., Haack, M., Morag, A., & Pollmacher, T. (2001). Cytokine-associated emotional and cognitive disturbances in humans. *Archives of General Psychiatry*, 58, 445-452.
- Reisenzein, R. (1994). Pleasure-arousal theory and the intensity of emotions. *Journal of Personality and Social Psychology*, 67, 525-539.
- Roseman, I.J. (2011). Emotional behaviors, emotivational goals, emotion strategies: Multiple levels of organization integrate variable and consistent responses. *Emotion Review*, 3, 1-10.
- Russell, J.A. (2003). Core affect and the psychological construction of emotion. *Psychological Review*, 110, 145-172.
- Sanders, M. A., Shirk, S.D., Burgin, C.J., Martin, L.L. (2012). The gargle effect: Rinsing the mouth with glucose enhances self-control. *Psychological Science*, 23, 1470-1472.
- Schachter, S., & Singer, J.E. (1962). Cognitive, social, and physiological determinants of emotional state. *Psychological Review*, 69, 378-399.
- Schag, K., Schonleber, J., Teufel, M., Zipfel, S., & Giel, K.E. (2013). Food-related impulsivity in obesity and binge eating disorder: A systematic review. *Obesity Reviews*, 14, 477-495.
- Scherer, K.R. (2001). Appraisal considered as a process of multi-level sequential checking. In K.R. Scherer, A. Schorr, & T. Johnstone (Eds.) *Appraisal processes in emotion: Theory, methods, research* (pp. 92-120). New York and Oxford: Oxford University Press.
- Schiepers, O.J., Wichers, M.C., Maes, M. (2005). Cytokines and major depression. *Progress in Neuro-psychopharmacology and Biological Psychiatry*, 29, 201-217.
- Schwarz, N., & Clore, G L. (1983). Mood, misattribution, and judgments of well-being: Informative and directive functions of affective states. *Journal of Personality and Social Psychology*, 45, 513-523.
- Schwarz, N., & Clore, G.L. (1988). How do I feel about it? The informative function of mood. In K. Fiedler & J. Forgas (Eds.), *Affect, cognition, and social behavior* (pp. 44-62). Toronto: C.J. Hogrefe.

- Schwartz, M.W., Woods, S.C., Porte, D. Jr., Seeley, R.J., & Baskin, D.G. (2000). Central nervous system control of food intake. *Nature*, 404, 661-671.
- Semin, G.R., & Smith, E.R. (2008). *Embodied grounding: Social, cognitive, affective, and neuroscientific approaches*. Cambridge, UK: Cambridge University Press.
- Seth, A. K. (2013). Interoceptive inference, emotion, and the embodied self. *Trends in Cognitive Science*, 17, 565-573.
- Seth, A. K. (2015). The cybernetic Bayesian brain: From interoceptive inference to sensorimotor contingencies. In T. Metzinger & J. M. Windt (Eds.), *Open MIND*: 35(T). Frankfurt am Main: MIND Group.
- Seth, A. K., Suzuki, K., & Critchley, H. D. (2012). An interoceptive predictive coding model of conscious presence. *Frontiers in Psychology*, 2, 395.
- Shaked, A., & Clore, G. (in press). Breaking the world to make it whole again: Attribution in the construction of emotion.
- Shepard, R., & Metzler, J. (1971). Mental rotation of three-dimensional objects. *Science*, 171, 701–703. doi:10.1126/science.171.3972.701
- Siemer, M., Mauss, I., & Gross, J.J. (2007). Same situation—different emotions: How appraisals shape our emotions. *Emotion*, 7, 592-600.
- Sirois, S., Spratling, M., Thomas, M. S. C., Westermann, G., Mareschal, D., & Johnson, M. H. (2008). Précis of neuroconstructivism: how the brain constructs cognition. *Behavioral & Brain Sciences*, 31, 321–331.
- Smith, P. M., & Ferguson, A. V. (2008). Neurophysiology of hunger and satiety. *Developmental Disabilities Research Reviews*, 14, 96-104.
- Sogard, S.M., & Olla, B.L. (1997). The influence of hunger and predation risk on group cohesion in a pelagic fish, walleye pollock *Theragra chalcogramma*. *Environmental Biology of Fishes*, 50, 405-413.
- Sprengelmeyer, R., Young, A. W., Calder, A. J., Karnat, A., Lange, H., Homberg, V., ... Rowland, D. (1996). Loss of disgust: Perception of faces and emotions in Huntington's disease. *Brain*, 119, 1647–1665.
- Stellar, E. (1954). The physiology of motivation. *Psychological Review*, 101, 301-311.
- Storbeck, J., & Clore, G. L. (2008). Affective arousal as information: How affective arousal influences judgments, learning, and memory. *Social and Personality Psychology Compass*, 2, 1824-1843
- Strike, P.C., Wardle, J., & Steptoe, A. (2004). Mild acute inflammatory stimulation induces transient negative mood. *Journal of Psychosomatic Research*, 57, 189 –194.
- Suvak, M.K., Litz, B.T., Sloan, D.M., Zanarini, M.C., Barrett, L.F., & Hofmann, S.G. (2011). Emotional granularity and borderline personality disorder. *Journal of Abnormal Psychology*, 120, 414-426.
- Symmonds, M., Emmanuel, J.J., Drew, M.E., Batterham, R.L., & Dolan, R.J. (2010). Metabolic state alters economic decision making under risk in humans. *PLoS ONE*, 5, e11090.
- Tataranni, P.A., & Del Parigi, A. (2003). Functional neuroimaging: A new generation of human brain studies in obesity research. *Obesity Review*, 4, 229-238.

- Tataranni, P. A., Gautier, J. F., Chen, K., et al. (1999) Neuroanatomical correlates of hunger and satiation in humans using positron emission tomography. *Proceedings from the National Academy of Sciences USA*, 96, 4569-4575.
- Taylor, L. A., & Rachman, S. J. (1988). The effects of blood sugar level changes on cognitive function, affective state, and somatic symptoms. *Journal of Behavioral Medicine*, 11, 279-291.
- Tellegen, A., Watson, D., & Clark, L.A. (1994, August). Modeling dimensions of mood. In L. A. Feldman (Chair), *Mood: Consensus and controversy*. Symposium conducted at the 102nd Annual Convention of the American Psychological Association, Los Angeles.
- Thayer, R.E. (1967). Measurement of activation through self-report. *Psychological Reports*, 20, 663-678.
- Thayer, R.E. (1989). *The biopsychology of mood and activation*. New York: Oxford University Press.
- Tice, D. M., Baumeister, R. F., Shmueli, D., & Muraven, M. (2007). Restoring the self: Positive affect helps improve self-regulation following ego depletion. *Journal of Experimental Social Psychology*, 43, 279-384.
- Todorov, A., Olivola, C.Y., Dotsch, R., & Mende-Siedlecki, P. (2015). Social attributions from faces: determinants, consequences, accuracy, and functional significance. *Annual Review of Psychology*, 66, 519-545.
- Toshinai, K., Mondal, M.S., Nakazato, M., Date, Y., Murakami, N., Kojima, M., Kangawa, K., & Matsukura, S. (2001). Upregulation of ghrelin expression in the stomach upon fasting, insulin-induced hypoglycemia, and leptin administration. *Biochemical and Biophysical Research Communications*, 281, 1220-1225. doi: 10.1006/bbrc.2001.4518
- Tracy, J.L. (2014). An evolutionary approach to understanding distinct emotions. *Emotion Review*, 6, 308-312.
- Tschop, M., Weyer, C., Tataranni, P.A., Devanarayan, V., Ravussin, E., & Heiman, M.L. (2001). Circulating ghrelin levels are decreased in human obesity. *Diabetes*, 50, 707-709.
- Tugade, M. M., & Fredrickson, B. L. (2004). Resilient individuals use positive emotions to bounce back from negative emotional experiences. *Journal of Personality and Social Psychology*, 86, 320-333.
- Vadillo, M. A., Gold, N., & Osman, M. (2016). The bitter truth about sugar and willpower: The limited evidential value of the glucose model of ego depletion. *Psychological Science*, epub ahead of print.
- Vandenbergh, J., Dupont, P., Fischler, B., Bormans, G., Persoons, P., Janssens, J., & Tack, J. (2005). Regional brain activation during proximal stomach distention in humans: A positron emission tomography study. *Gastroenterology*, 128, 564-573.
- Vigliocco, G., Meteyard, L., Andrews, M., & Kousta, S. (2009). Toward a theory of semantic representation. *Language and Cognition*, 1, 215-244.
- Virkkunen, M. (1982). Reactive hypoglycemic tendency among habitually violent offenders. *Neuropsychobiology*, 8, 35-40.
- Virkkunen, M. (1984). Reactive hypoglycemic tendency among arsonists. *Acta Psychiatrica Scandinavica*, 69, 445-452.
- Virkkunen, M. (1986). Insulin secretion during the glucose tolerance test among habitually violent and impulsive offenders. *Aggressive Behavior*, 12, 303-310.

- Vohs, K. D., Baumeister, R. F., Schmeichel, B. J., Twenge, J. M., Nelson, N. M., & Tice, D. M. (2014). Making choices impairs subsequent self-control: A limited-resource account of decision making, self-regulation, and active initiative. *Motivation Science*, 1, 19-42.
- Vytal, K., & Hamann, S. (2010). Neuroimaging support for discrete neural correlates of basic emotions: A voxel-based meta-analysis. *Journal of Cognitive Neuroscience*, 22, 2864-2865. doi: 10.1162/jocn.2009.21366
- Wager, T. D., Kang, J., Johnson, T. D., Nichols, T. E., Satpute, A. B., & Barrett, L. F. (2015). A Bayesian model of category-specific emotional brain responses. *PLOS Computational Biology*, 11, e1004066. doi:10.1371/journal.pcbi.1004066
- Watson, D., & Tellegen, A. (1985). Toward a consensual structure of mood. *Psychological Bulletin*, 98, 219-235.
- Weiten, W. (2013). *Psychology: Themes and Variations* (9th ed.). Belmont, CA: Wadsworth Publishing.
- Williams, L.A., & DeSteno, D. (2008). Pride and perseverance: The motivational role of pride. *Journal of Personality and Social Psychology*, 94, 1007-1017.
- Wilson-Mendenhall, C. D., Barrett, L. F., Simmons, W. K., & Barsalou, L. W. (2011). Grounding emotion in situated conceptualization. *Neuropsychologia*, 49, 1105-1127.
- Woods, S. C., Seeley, R. J., Porte Jr., D., Schwartz, M. W. (1998). Signals that regulate food intake and energy homeostasis. *Science*, 280, 1378-1383.
- Woods, S.C., Schwartz, M.W., Baskin, D.G., & Seeley, R.J. (2000). Food intake and the regulation of body weight. *Annual Review of Psychology*, 51, 255-277. doi: 10.1146/annurev.psych.51.1.255
- Wright, R.A., Patrick, B.M., Thomas, C., & Barreto, P. (2013). When fatigue promotes striving: Confirmation that success importance moderates resource depletion influence on effort-related cardiovascular response. *Biological Psychology*, 93, 316-324. doi: 10.1016/j.biopsycho.2013.02.016
- Wright, C.E., Strike, P.C., Brydon, L., & Steptoe, A. (2005). Acute inflammation and negative mood: Mediation by cytokine activation. *Brain, Behavior, & Immunity*, 19, 345-350.
- Wundt, W. (1897/1998). *Outlines of psychology*. Bristol, UK: Thoemmes Press.
- Xu, F., & Kushnir, T. (2013). Infants are rational constructivist learners. *Current Directions in Psychological Science*, 22, 28-32.
- Zillmann, D. (1971). Excitation transfer in communication-mediated aggressive behavior. *Journal of Experimental Social Psychology*, 7, 419-434.
- Zillmann, D., Katcher, A.H., & Milavsky, B. (1972). Excitation transfer from physical exercise to subsequent aggressive behavior. *Journal of Experimental Social Psychology*, 8, 247-259.